


TENNESSEE

2012 Land Line and Cell Phone Codebook Report

Behavioral Risk Factor Surveillance System

July 5, 2013



Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
47	Tennessee	7,056	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Type: Num

Column: 3-4

SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		7,056	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Type: Num

Column: 5

SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	4,833	68.49	49.19
2	Unlisted	643	9.11	8.86
9	Not Applicable	1,580	22.39	41.95

Pre-Call Status Code

Section: 0.4 Record Identification

Type: Num

Column: 6

SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	7,005	99.28	99.06
4	cell phone - PRO-T-S	51	0.72	0.94

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Replicate Number

Section: 0.5 Record Identification

Type: Num

Column: 7-12

SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	7,056	100.00	100.00

Replicate Depth

Section: 0.6 Record Identification

Type: Num

Column: 13-14

SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

File Month

Section: 0.7 Record Identification

Type: Num

Column: 15-16

SAS Variable Name: FMONTH

Prologue:

Description: File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	536	7.60	7.80
2	February	607	8.60	8.87
3	March	587	8.32	8.02
4	April	555	7.87	7.22
5	May	543	7.70	8.27
6	June	577	8.18	8.18
7	July	466	6.60	6.88
8	August	612	8.67	8.35
9	September	637	9.03	9.52
10	October	574	8.13	7.96
11	November	703	9.96	9.64
12	December	659	9.34	9.28

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Date

Section: 0.8 Record Identification

Type: Char

Column: 17-24

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Interview Month

Section: 0.9 Record Identification

Type: Char

Column: 17-18

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	535	7.58	7.76
2	February	607	8.60	8.87
3	March	586	8.30	8.00
4	April	554	7.85	7.17
5	May	547	7.75	8.41
6	June	575	8.15	8.10
7	July	465	6.59	6.88
8	August	613	8.69	8.37
9	September	636	9.01	9.48
10	October	574	8.13	7.96
11	November	704	9.98	9.74
12	December	660	9.35	9.26

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Day

Section: 0.10 Record Identification

Type: Char

Column: 19-20

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	156	2.21	1.75
2		192	2.72	2.62
3		268	3.80	3.57
4		372	5.27	4.92
5		386	5.47	4.69
6		330	4.68	4.20
7		399	5.65	5.11
8		377	5.34	5.07
9		434	6.15	6.50
10		444	6.29	6.10
11		410	5.81	6.20
12		384	5.44	5.21
13		352	4.99	5.16
14		283	4.01	4.36
15		253	3.59	3.85
16		210	2.98	3.37
17		230	3.26	3.31
18		261	3.70	3.58
19		173	2.45	2.90
20		155	2.20	2.48
21		187	2.65	2.56
22		135	1.91	2.20
23		120	1.70	1.86
24		146	2.07	2.32
25		121	1.71	1.70
26		81	1.15	1.46
27		90	1.28	1.52
28		61	0.86	0.86
29		29	0.41	0.30
30		16	0.23	0.23
31		1	0.01	0.03

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Year

Section: 0.11 Record Identification

Type: Char

Column: 21-24

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2012	Interview Year	7,054	99.97	99.97
2013		2	0.03	0.03

Interviewer Identification

Section: 0.12 Record Identification

Type: Char

Column: 25-29

SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Type: Num

Column: 30-33

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
1100	Completed Interview	7,042	99.80	99.66
1200	Partial Complete Interview	14	0.20	0.34

Annual Sequence Number

Section: 0.14 Record Identification

Type: Num

Column: 34-43

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Primary Sampling Unit

Section: 0.15 Record Identification

Type: Num

Column: 34-43

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Number of Attempts

Section: 0.16 Record Identification

Type: Num

Column: 44-45

SAS Variable Name: NATTMPTS

Prologue:

Description: Number of Attempts

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Type: Num

Column: 46-51

SAS Variable Name: NRECSEL

Prologue:

Description: Number of Sample Records Selected from Stratum

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Type: Num

Column: 52-60

SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Correct telephone number?

Section: 0.19 Record Identification

Type: Num

Column: 61

SAS Variable Name: CTELENUM

Prologue: Variabe only on the land line survey

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,056	100.00	100.00

Private Residence?

Section: 0.20 Record Identification

Type: Num

Column: 62

SAS Variable Name: PVTRESID

Prologue: Variabe only on the land line survey

Description: Private Residence?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,476	100.00	100.00
BLANK	Missing	1,580		

Do you live in college housing?

Section: 0.21 Record Identification

Type: Num

Column: 63

SAS Variable Name: COLGHOUS

Prologue:

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Cellular Telephone

Section: 0.22 Record Identification

Type: Num

Column: 64

SAS Variable Name: CELLFON

Prologue: Variabe only on the land line survey

Description: Cellular Telephone

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	5,476	100.00	100.00
BLANK	Missing	1,580		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Are you 18 years of age or older?

Section: 0.23 Record Identification

Type: Num

Column: 65

SAS Variable Name: LADULT

Prologue:

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		7,056		

Number of Adults in Household

Section: 0.24 Record Identification

Type: Num

Column: 66-67

SAS Variable Name: NUMADULT

Prologue: Variabe only on the land line survey

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	2,375	43.37	23.38
2		2,518	45.98	55.27
3		445	8.13	14.46
4		119	2.17	5.62
5		18	0.33	1.01
6 - 99	6 or more	1	0.02	0.26
BLANK	Missing	1,580		

Number of Adult men in Household

Section: 0.25 Record Identification

Type: Num

Column: 68-69

SAS Variable Name: NUMMEN

Prologue: Variabe only on the land line survey

Description: Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	1,912	34.92	18.67
1		3,194	58.33	66.59
2		327	5.97	11.95
3		41	0.75	2.49
4		2	0.04	0.29
BLANK		1,580		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Adult women in Household

Section: 0.26 Record Identification

Type: Num

Column: 70-71

SAS Variable Name: NUMWOMEN

Prologue: Variabe only on the land line survey

Description: Number of Adult Women in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	697	12.73	9.95
1		4,271	77.99	74.69
2		459	8.38	13.66
3		47	0.86	1.59
4		2	0.04	0.11
BLANK		1,580		

General Health

Section: 1.1 Health Status

Type: Num

Column: 73

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	903	12.80	15.33
2	Very good	1,966	27.86	30.49
3	Good	2,308	32.71	32.93
4	Fair	1,096	15.53	12.83
5	Poor	763	10.81	8.23
7	Don't know/Not Sure	17	0.24	0.16
9	Refused	3	0.04	0.03

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 74-75

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	2,593	36.75	33.43
88	None	4,235	60.02	63.91
77	Don't know/Not sure	223	3.16	2.62
99	Refused	5	0.07	0.05

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 76-77

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,932	27.38	29.22
88	None	4,976	70.52	69.21
77	Don't know/Not sure	134	1.90	1.44
99	Refused	14	0.20	0.13

Poor Physical or Mental Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 78-79

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,691	47.02	44.80
88	None	1,793	49.86	52.91
77	Don't know/Not sure	102	2.84	2.15
99	Refused	10	0.28	0.14
BLANK	Not asked or Missing Notes: Section 02.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	3,460		

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 80

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,108	86.56	81.88
2	No	936	13.27	17.97
7	Don't know/Not Sure	5	0.07	0.10
9	Refused	7	0.10	0.04

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 81

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	5,788	82.03	75.94
2	More than one	231	3.27	2.65
3	No	1,016	14.40	21.09
7	Don't know/Not Sure	14	0.20	0.27
9	Refused	7	0.10	0.06

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 82

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,174	16.64	19.13
2	No	5,864	83.11	80.64
7	Don't know/Not sure	13	0.18	0.19
9	Refused	5	0.07	0.04

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 83

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	5,667	80.31	74.38
2	Within past 2 years (1 year but less than 2 years ago)	581	8.23	10.56
3	Within past 5 years (2 years but less than 5 years ago)	294	4.17	5.49
4	5 or more years ago	376	5.33	7.33
7	Don't know/Not sure	93	1.32	1.26
8	Never	37	0.52	0.91
9	Refused	8	0.11	0.07

Exercise in Past 30 Days

Section: 4.1 Exercise

Type: Num

Column: 84

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,756	67.40	71.32
2	No	2,292	32.48	28.59
7	Don't know/Not Sure	2	0.03	0.07
9	Refused	6	0.09	0.03

Ever Diagnosed with Heart Attack

Section: 5.1 Chronic Health Conditions

Type: Num

Column: 85

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	620	8.79	6.66
2	No	6,418	90.96	93.22
7	Don't know/Not sure	10	0.14	0.09
9	Refused	8	0.11	0.03

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 5.2 Chronic Health Conditions

Type: Num

Column: 86

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	664	9.41	7.19
2	No	6,340	89.85	92.27
7	Don't know/Not sure	45	0.64	0.48
9	Refused	7	0.10	0.06

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Diagnosed with a Stroke

Section: 5.3 Chronic Health Conditions

Type: Num

Column: 87

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	393	5.57	3.81
2	No	6,642	94.13	96.01
7	Don't know/Not sure	12	0.17	0.11
9	Refused	9	0.13	0.07

Ever Told Had Asthma

Section: 5.4 Chronic Health Conditions

Type: Num

Column: 88

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	736	10.43	11.00
2	No—Go to Section 05.06 CHCSCNCR	6,300	89.29	88.81
7	Don't know/Not Sure—Go to Section 05.06 CHCSCNCR	14	0.20	0.14
9	Refused—Go to Section 05.06 CHCSCNCR	6	0.09	0.06

Still Have Asthma

Section: 5.5 Chronic Health Conditions

Type: Num

Column: 89

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	550	74.73	69.76
2	No	173	23.51	27.94
7	Don't know/Not Sure	13	1.77	2.30
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing	6,320		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever told) you had skin cancer?

Section: 5.6 Chronic Health Conditions

Type: Num

Column: 90

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	739	10.47	7.65
2	No	6,301	89.31	92.21
7	Don't know / Not sure	9	0.13	0.08
9	Refused	6	0.09	0.06
BLANK	Not asked or Missing	1		

Ever told) you had any other types of cancer?

Section: 5.7 Chronic Health Conditions

Type: Num

Column: 91

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	680	9.64	6.90
2	No	6,360	90.14	92.90
7	Don't know / Not sure	10	0.14	0.14
9	Refused	6	0.09	0.06

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 5.8 Chronic Health Conditions

Type: Num

Column: 92

SAS Variable Name: CHCCOPD1

Prologue:

Description: (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	797	11.30	9.33
2	No	6,236	88.38	90.37
7	Don't know / Not sure	17	0.24	0.24
9	Refused	6	0.09	0.06

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Told Have Arthritis

Section: 5.9 Chronic Health Conditions

Type: Num

Column: 93

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,761	39.13	29.67
2	No	4,270	60.52	70.00
7	Don't know/Not Sure	17	0.24	0.19
9	Refused	8	0.11	0.14

Ever told you had a depressive disorder

Section: 5.10 Chronic Health Conditions

Type: Num

Column: 94

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,489	21.10	20.08
2	No	5,534	78.43	79.50
7	Don't know/Not sure	19	0.27	0.22
9	Refused	14	0.20	0.19

Ever told) you have kidney disease?

Section: 5.11 Chronic Health Conditions

Type: Num

Column: 95

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	231	3.27	2.46
2	No	6,800	96.37	97.22
7	Don't know / Not sure	14	0.20	0.14
9	Refused	11	0.16	0.19

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Do you have any trouble seeing, even when wearing glasses or contact lenses?

Section: 5.12 Chronic Health Conditions

Type: Num

Column: 96

SAS Variable Name: CHCVISN1

Prologue:

Description: Do you have any trouble seeing, even when wearing glasses or contact lenses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,414	20.04	17.90
2	No	5,595	79.29	81.44
3	Not applicable (blind)	22	0.31	0.32
7	Don't know / Not sure	10	0.14	0.10
9	Refused	15	0.21	0.25

Ever told) you have diabetes

Section: 5.13 Chronic Health Conditions

Type: Num

Column: 97

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,115	15.80	11.89
2	Yes, but female told only during pregnancy	52	0.74	0.62
3	No	5,657	80.17	84.61
4	No, pre-diabetes or borderline diabetes	207	2.93	2.43
7	Don't know/Not Sure	6	0.09	0.13
9	Refused	19	0.27	0.31

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Last Visited Dentist or Dental Clinic

Section: 6.1 Oral Health

Type: Num

Column: 98

SAS Variable Name: LASTDEN3

Prologue:

Description: How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontists.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	4,208	59.64	60.44
2	Within the past 2 years (1 year but less than 2 years ago)	791	11.21	12.12
3	Within the past 5 years (2 years but less than 5 years ago)	614	8.70	8.72
4	5 or more years ago	1,267	17.96	16.38
7	Don't know/Not sure	115	1.63	1.37
8	Never	41	0.58	0.71
9	Refused	20	0.28	0.25

Number of Permanent Teeth Removed

Section: 6.2 Oral Health

Type: Num

Column: 99

SAS Variable Name: RMVTETH3

Prologue:

Description: How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. (If wisdom teeth are removed because of tooth decay or gum disease, they should be included in the count for lost teeth)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 5	2,148	30.44	28.99
2	6 or more, but not all	1,225	17.36	14.29
3	All	953	13.51	9.39
7	Don't know/Not sure	147	2.08	1.36
8	None	2,554	36.20	45.58
9	Refused	29	0.41	0.39

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported Age in Years

Section: 7.1 Demographics

Type: Num

Column: 100-101

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	7	0.10	0.15
9	Refused	60	0.85	0.70
18 - 24	Age 18 - 24 Notes: _ _ Code age in years	301	4.27	12.48
25 - 34	Age 25 - 34	643	9.11	16.61
35 - 44	Age 35 - 44	810	11.48	16.47
45 - 54	Age 45 - 54	1,266	17.94	18.30
55 - 64	Age 55 - 64	1,598	22.65	16.36
65 - 99	Age 65 or older	2,371	33.60	18.94

Hispanic/Latino

Section: 7.2 Demographics

Type: Num

Column: 102

SAS Variable Name: HISPANC2

Prologue:

Description: Are you Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	70	0.99	2.59
2	No	6,966	98.72	97.11
7	Don't know/Not Sure	3	0.04	0.04
9	Refused	17	0.24	0.26

Multiple Race

Section: 7.3 Demographics

Type: Char

Column: 103-108

SAS Variable Name: MRACE

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	4	0.06	0.05
9	Refused Notes: Specify_____	50	0.71	0.68
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,002	99.23	99.27

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondent Race Choice

Section: 7.4 Demographics

Type: Num

Column: 109

SAS Variable Name: ORACE2

Prologue:

Description: Which one of these groups would you say best represents your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	26	37.14	39.03
2	Black or African American	27	38.57	32.26
3	Asian	4	5.71	6.02
5	American Indian, Alaska Native	8	11.43	19.14
6	Other Notes: Specify_____	4	5.71	2.34
7	Don't know/Not sure	1	1.43	1.21
BLANK	Not asked or Missing Notes: Section 07.03, MRACE, has only one valid race code (1-6)	6,986		

Are You A Veteran

Section: 7.5 Demographics

Type: Num

Column: 110

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	919	13.02	12.61
2	No	6,120	86.73	87.14
9	Refused	17	0.24	0.25

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Marital Status

Section: 7.6 Demographics

Type: Num

Column: 111

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	3,425	48.54	51.43
2	Divorced	1,223	17.33	12.03
3	Widowed	1,164	16.50	7.71
4	Separated	188	2.66	2.65
5	Never married	953	13.51	23.92
6	A member of an unmarried couple	67	0.95	1.90
9	Refused	36	0.51	0.37

Number of Children in Household

Section: 7.7 Demographics

Type: Num

Column: 112-113

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,568	22.22	31.52
88	None	5,453	77.28	68.01
99	Refused	35	0.50	0.46

Education Level

Section: 7.8 Demographics

Type: Num

Column: 114

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	13	0.18	0.41
2	Grades 1 through 8 (Elementary)	327	4.63	4.05
3	Grades 9 through 11 (Some high school)	585	8.29	12.22
4	Grade 12 or GED (High school graduate)	2,341	33.18	33.44
5	College 1 year to 3 years (Some college or technical school)	1,920	27.21	28.43
6	College 4 years or more (College graduate)	1,835	26.01	21.04
9	Refused	35	0.50	0.42

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Employment Status

Section: 7.9 Demographics

Type: Num

Column: 115

SAS Variable Name: EMPLOY

Prologue:

Description: Are you currently: (employment status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	2,582	36.59	46.56
2	Self-employed	373	5.29	6.55
3	Out of work for more than 1 year	221	3.13	3.68
4	Out of work for less that 1 year	167	2.37	2.90
5	A homemaker	380	5.39	5.57
6	A student	135	1.91	4.67
7	Retired	2,230	31.60	18.83
8	Unable to work	912	12.93	10.58
9	Refused	56	0.79	0.67

Income Level

Section: 7.10 Demographics

Type: Num

Column: 116-117

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	397	5.63	5.76
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	490	6.94	5.22
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	621	8.80	8.66
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	685	9.71	9.71
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	689	9.76	9.67
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	762	10.80	12.04
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	698	9.89	10.84
8	\$75,000 or more	968	13.72	15.87
77	Don't know/Not sure	561	7.95	8.46
99	Refused	1,185	16.79	13.77

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported Weight in Pounds

Section: 7.11 Demographics

Type: Num

Column: 118-121

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	6,663	94.43	95.28
7777	Don't know/Not sure	186	2.64	2.46
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	3	0.04	0.10
9999	Refused	204	2.89	2.16

Reported Height in Feet and Inches

Section: 7.12 Demographics

Type: Num

Column: 122-125

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	6,966	98.72	98.91
7777	Don't know/Not sure	31	0.44	0.41
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	2	0.03	0.12
9999	Refused	57	0.81	0.57

County Code

Section: 7.13 Demographics

Type: Num

Column: 126-128

SAS Variable Name: CTYCODE1

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	8	0.11	0.16
999	Refused	39	0.55	0.63
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,009	99.33	99.21

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Zipcode of residence

Section: 7.14 Demographics

Type: Char

Column: 129-133

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	108	1.53	1.33
99999	Refused	170	2.41	2.46
HIDDEN	Data not displayed	6,778	96.06	96.21

Household Telephones

Section: 7.15 Demographics

Type: Num

Column: 134

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	265	4.84	4.48
2	No-Go to Section 07.17 CPDEMO1	5,091	92.97	94.53
9	Refused-Go to Section 07.17 CPDEMO1	120	2.19	0.99
BLANK	Not asked or Missing-Go to Section 07.17 CPDEMO1	1,580		

Residential Phones

Section: 7.16 Demographics

Type: Num

Column: 135

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	155	58.49	72.77
2	Residential telephone numbers	92	34.72	23.92
3	Residential telephone numbers	14	5.28	2.67
9	Refused	4	1.51	0.64
BLANK	Not asked or Missing Notes: Section 07.15, NUMHHOL2, is coded 2, 7, 9, or Missing	6,791		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Do you have a cell phone for personal use?

Section: 7.17 Demographics

Type: Num

Column: 136

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,053	74.01	88.56
2	No-Go to Section 07.19 RENTHOM1	1,292	23.59	10.39
7	Don't know/Not sure-Go to Section 07.19 RENTHOM1	6	0.11	0.03
9	Refused-Go to Section 07.19 RENTHOM1	125	2.28	1.01
BLANK	Not asked or Missing	1,580		

What percent of all calls are received on your cell phone?

Section: 7.18 Demographics

Type: Num

Column: 137-139

SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Enter Percent (1 to 100)	3,458	100.00	100.00
BLANK	Not asked or Missing Notes: Section 07.17, CPDEMO1, is coded 2, 7, 9, or Missing	3,598		

Own or Rent Home

Section: 7.19 Demographics

Type: Num

Column: 140

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	4,986	70.69	70.51
2	Rent	1,430	20.28	20.35
3	Other arrangement	408	5.78	6.74
7	Don't know/Not Sure	7	0.10	0.22
9	Refused	222	3.15	2.17
BLANK	Not asked or Missing Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	3		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondents Sex

Section: 7.20 Demographics

Type: Num

Column: 141

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	2,525	35.79	48.04
2	Female	4,531	64.21	51.96

Pregnancy Status

Section: 7.21 Demographics

Type: Num

Column: 142

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	3.25	4.61
2	No	1,066	93.76	93.19
7	Don't know/Not Sure	4	0.35	0.46
9	Refused	30	2.64	1.73
BLANK	Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 07.01, AGE, is greater than 44	5,919		

Activity Limitation Due to Health Problems

Section: 8.1 Disability

Type: Num

Column: 143

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,997	28.31	22.53
2	No	4,830	68.47	75.09
7	Don't know/Not Sure	22	0.31	0.20
9	Refused	205	2.91	2.18
BLANK	Not asked or Missing	2		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Health Problems Requiring Special Equipment

Section: 8.2 Disability

Type: Num

Column: 144

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	934	13.24	9.06
2	No	5,901	83.65	88.64
7	Don't know/Not Sure	2	0.03	0.05
9	Refused	217	3.08	2.25
BLANK	Not asked or Missing	2		

Smoked at Least 100 Cigarettes

Section: 9.1 Tobacco Use

Type: Num

Column: 145

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,304	46.84	47.62
2	No—Go to Section 09.05 USENOW3	3,486	49.42	49.30
7	Don't know/Not Sure—Go to Section 09.05 USENOW3	30	0.43	0.50
9	Refused—Go to Section 09.05 USENOW3	234	3.32	2.58
BLANK	Not asked or Missing	2		

Frequency of Days Now Smoking

Section: 9.2 Tobacco Use

Type: Num

Column: 146

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	1,125	34.05	38.16
2	Some days	356	10.77	12.35
3	Not at all—Go to Section 09.04 LASTSMK2	1,813	54.87	49.12
7	Don't Know/Not Sure—Go to Section 09.05 USENOW3	1	0.03	0.01
9	Refused—Go to Section 09.05 USENOW3	9	0.27	0.36
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing	3,752		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Stopped Smoking in past 12 months

Section: 9.3 Tobacco Use

Type: Num

Column: 147

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 09.05 USENOW3	885	59.76	62.10
2	No—Go to Section 09.05 USENOW3	595	40.18	37.87
7	Don't know/Not Sure—Go to Section 09.05 USENOW3	1	0.07	0.03
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 3, 7, 9, or Missing	5,575		

Interval Since Last Smoked

Section: 9.4 Tobacco Use

Type: Num

Column: 148-149

SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	41	2.26	3.91
2	Within the past 3 months (1 month but less than 3 months ago)	42	2.32	3.26
3	Within the past 6 months (3 months but less than 6 months ago)	30	1.65	1.86
4	Within the past year (6 months but less than 1 year ago)	68	3.75	4.89
5	Within the past 5 years (1 year but less than 5 years ago)	315	17.37	22.96
6	Within the past 10 years (5 years but less than 10 years ago)	164	9.05	9.30
7	10 years or more	1,141	62.93	53.32
77	Don't know/Not sure	11	0.61	0.50
99	Refused	1	0.06	0.01
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 09.03, STOPSMK2, is coded 1, 2, 7, 9;	5,243		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Use of Smokeless Tobacco Products

Section: 9.5 Tobacco Use

Type: Num

Column: 150

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus (rhymes with 'goose')]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	161	2.28	3.14
2	Some days	95	1.35	1.75
3	Not at all	6,552	92.90	92.29
9	Refused	245	3.47	2.82
BLANK	Not asked or Missing	3		

Days in past 30 had alcoholic beverage

Section: 10.1 Alcohol Consumption

Type: Num

Column: 151-153

SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1__ = Days per week	514	7.29	8.17
201 - 299	Days in past 30 days Notes: 2__ = Days in past 30	1,638	23.22	28.53
777	Don't know/Not sure—Go to Section 11.01 FLUSHOT5	93	1.32	1.71
888	No drinks in past 30 days—Go to Section 11.01 FLUSHOT5	4,536	64.31	58.34
999	Refused—Go to Section 11.01 FLUSHOT5	272	3.86	3.25
BLANK	Not asked or Missing	3		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Avg alcoholic drinks per day in past 30

Section: 10.2 Alcohol Consumption

Type: Num

Column: 154-155

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	2,082	96.75	96.83
77	Don't know/Not sure	53	2.46	2.57
99	Refused	17	0.79	0.60
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 9999;	4,904		

Binge Drinking

Section: 10.3 Alcohol Consumption

Type: Num

Column: 156-157

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	479	22.26	28.85
88	None	1,609	74.77	67.86
77	Don't know/Not Sure	47	2.18	2.56
99	Refused	17	0.79	0.73
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999;	4,904		

Most drinks on single occasion past 30 days

Section: 10.4 Alcohol Consumption

Type: Num

Column: 158-159

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	2,031	94.38	93.64
77	Don't know/Not sure	97	4.51	5.22
99	Refused	24	1.12	1.13
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999;	4,904		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adult seasonal flu shot/spray past 12 mos

Section: 11.1 Immunization

Type: Num

Column: 160

SAS Variable Name: FLUSHOT5

Prologue: Now I will ask you questions about seasonal flu vaccine. There are two ways to get the seasonal flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a seasonal flu shot or a seasonal flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,433	48.68	41.51
2	No—Go to Section 11.04 PNEUVAC3	3,294	46.71	54.10
7	Don't know/Not Sure—Go to Section 11.04 PNEUVAC3	25	0.35	0.39
9	Refused—Go to Section 11.04 PNEUVAC3	300	4.25	4.00
BLANK	Not asked or Missing	4		

When did you (adult) receive your most recent seasonal flu shot/spray?

Section: 11.2 Immunization

Type: Num

Column: 161-166

SAS Variable Name: FLSHTMY2

Prologue:

Description: During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12011 - 122012	Month / Year	3,069	89.40	86.86
777777	Don't know/Not Sure	353	10.28	12.57
999999	Refused	11	0.32	0.57
BLANK	Not asked or Missing Notes: Section 11.01, FLUSHOT5, is coded 2, 7, or 9	3,623		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Where did you get your last flu shot/vaccine?

Section: 11.3 Immunization

Type: Num

Column: 167-168

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctor's office or health maintenance organization (HMO)	1,593	46.42	42.83
2	A health department	138	4.02	4.85
3	Another type of clinic or health center (Example: a community health center)	145	4.22	4.93
4	A senior, recreation, or community center	19	0.55	0.22
5	A store (Examples: supermarket, drug store)	765	22.29	20.56
6	A hospital (Example: inpatient)	148	4.31	4.22
7	An emergency room	3	0.09	0.06
8	Workplace	522	15.21	18.63
9	Some other kind of place	45	1.31	1.83
10	Received vaccination in Canada/Mexico (Volunteered - Do not read)	7	0.20	0.17
11	A school	15	0.44	0.56
77	Don't know / Not sure—Probe:	18	0.52	0.56
99	Refused	14	0.41	0.59
BLANK	Not asked or Missing Notes: Section 11.01, FLUSHOT5, is coded 2, 7, or 9	3,624		

Pneumonia shot ever

Section: 11.4 Immunization

Type: Num

Column: 169

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,578	36.57	26.90
2	No	3,914	55.52	64.10
7	Don't know/Not Sure	235	3.33	4.54
9	Refused	323	4.58	4.46
BLANK	Not asked or Missing	6		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Had Fall Past Twelve Months

Section: 12.1 Falls

Type: Num

Column: 170-171

SAS Variable Name: FALL12MN

Prologue:

Description: In the past 12 months, how many times have you fallen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more	1,369	25.82	25.58
88	None—Go to Section 13.01 SEATBELT	3,630	68.45	69.65
77	Don't know/Not Sure—Go to Section 13.01 SEATBELT	68	1.28	1.13
99	Refused—Go to Section 13.01 SEATBELT	236	4.45	3.65
BLANK	Missing Notes: Section 07.01, AGE, coded 18-44	1,753		

Injured in Fall

Section: 12.2 Falls

Type: Num

Column: 172-173

SAS Variable Name: FALLINJ2

Prologue:

Description: How many of these falls caused an injury? By an injury, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of falls [76=76 or more] Notes: __ Number of times, 76=76 or more	444	32.43	33.86
88	None	891	65.08	64.58
77	Don't know/Not Sure	12	0.88	0.59
99	Refused	22	1.61	0.97
BLANK	Missing Notes: Section 07.01, AGE, coded 18-44; or Section 12.01, FALL3MN2, is coded 77, 88, 99 or Missing	5,687		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How often use seatbelts in car?

Section: 13.1 Seatbelt Use

Type: Num

Column: 174

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	5,950	84.40	81.82
2	Nearly always	389	5.52	6.53
3	Sometimes	188	2.67	3.66
4	Seldom	69	0.98	1.38
5	Never	94	1.33	1.75
7	Don't know/Not sure	3	0.04	0.03
8	Never drive or ride in a car	13	0.18	0.09
9	Refused	344	4.88	4.74
BLANK	Not asked or Missing Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6		

Did you drive after having too much to drink in the past 30 days?

Section: 14.1 Drinking and Driving

Type: Num

Column: 175-176

SAS Variable Name: DRNKDRI2

Prologue:

Description: During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: _ _ Number of times	81	3.22	3.85
88	None	2,164	86.04	87.31
77	Don't know/Not sure	5	0.20	0.18
99	Refused	265	10.54	8.67
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888 or: Section 13.01, SEATBELT, is coded 8	4,541		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Have You Ever Had a Mammogram

Section: 15.1 Breast/Cervical Cancer Screening

Type: Num

Column: 177

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,451	76.25	63.53
2	No-Go to Section 15.03 PROFEXAM	835	18.45	32.01
7	Don't know/Not sure-Go to Section 15.03 PROFEXAM	5	0.11	0.03
9	Refused-Go to Section 15.03 PROFEXAM	235	5.19	4.43
BLANK	Not asked or Missing Notes: Section 07.22, SEX, is coded 1	2,530		

How Long since Last Mammogram

Section: 15.2 Breast/Cervical Cancer Screening

Type: Num

Column: 178

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	2,122	61.49	60.16
2	Within the past 2 years (1 year but less than 2 years ago)	601	17.42	18.54
3	Within the past 3 years (2 years but less than 3 years ago)	244	7.07	7.12
4	Within the past 5 years (3 years but less than 5 years ago)	144	4.17	4.26
5	5 or more years ago	284	8.23	8.57
7	Don't know/Not sure	54	1.56	1.26
9	Refused	2	0.06	0.09
BLANK	Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 15.01, HADMAM, is coded 2, 7, 9, or Missing	3,605		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Had Breast Physical Exam by Doctor

Section: 15.3 Breast/Cervical Cancer Screening

Type: Num

Column: 179

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,833	84.69	83.62
2	No—Go to Section 15.05 HADPAP2	431	9.52	11.52
7	Don't know/Not sure—Go to Section 15.05 HADPAP2	20	0.44	0.29
9	Refused—Go to Section 15.05 HADPAP2	242	5.35	4.58
BLANK	Not asked or Missing Notes: Section 07.22, SEX, is coded 1	2,530		

How Long since Last Breast Physical Exam

Section: 15.4 Breast/Cervical Cancer Screening

Type: Num

Column: 180

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	2,550	66.53	68.02
2	Within the past 2 years (1 year but less than 2 years ago)	554	14.45	14.57
3	Within the past 3 years (2 years but less than 3 years ago)	231	6.03	6.00
4	Within the past 5 years (3 years but less than 5 years ago)	135	3.52	3.08
5	5 or more years ago	300	7.83	7.19
7	Don't know/Not sure	61	1.59	1.14
9	Refused	2	0.05	0.02
BLANK	Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 15.03, PROFEXAM, is coded 2, 7, 9, or Missing	3,223		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Had a Pap Test

Section: 15.5 Breast/Cervical Cancer Screening

Type: Num

Column: 181

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,927	86.77	87.13
2	No—Go to Section 15.07 HADHYST2	332	7.34	7.85
7	Don't know/Not sure—Go to Section 15.07 HADHYST2	19	0.42	0.31
9	Refused—Go to Section 15.07 HADHYST2	248	5.48	4.71
BLANK	Not asked or Missing Notes: Section 07.22, SEX, is coded 1	2,530		

How Long Since Last Pap Test

Section: 15.6 Breast/Cervical Cancer Screening

Type: Num

Column: 182

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	1,988	50.62	57.86
2	Within the past 2 years (1 year but less than 2 years ago)	609	15.51	15.61
3	Within the past 3 years (2 years but less than 3 years ago)	304	7.74	7.04
4	Within the past 5 years (3 years but less than 5 years ago)	203	5.17	3.97
5	5 or more years ago	750	19.10	14.28
7	Don't know/Not sure	73	1.86	1.23
BLANK	Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 15.05, HADPAP2, is coded 2, 7, 9, or Missing	3,129		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Had Hysterectomy

Section: 15.7 Breast/Cervical Cancer Screening

Type: Num

Column: 183

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,593	35.49	26.84
2	No	2,638	58.77	68.48
7	Don't know/Not sure	4	0.09	0.05
9	Refused	254	5.66	4.64
BLANK	Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 07.23, PREGNANT, is coded 1	2,567		

Has a health professional EVER talked with you about the advantages of the PSA test?

Section: 16.1 Prostate Cancer Screening

Type: Num

Column: 184

SAS Variable Name: PCPSAAD1

Prologue: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

Description: Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,211	59.95	55.60
2	No	637	31.53	36.50
7	Don't know/Not Sure	51	2.52	2.15
9	Refused	121	5.99	5.75
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2	5,036		

Has a health professional EVER talked with you about the disadvantages of the PSA test?

Section: 16.2 Prostate Cancer Screening

Type: Num

Column: 185

SAS Variable Name: PCPSAD11

Prologue:

Description: Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	791	39.16	37.31
2	No	1,043	51.63	53.92
7	Don't know/Not Sure	64	3.17	2.99
9	Refused	122	6.04	5.78
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2	5,036		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Has a doctor EVER recommended that you have a PSA test?

Section: 16.3 Prostate Cancer Screening

Type: Num

Column: 186

SAS Variable Name: PCPSARE1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,127	55.79	51.44
2	No—Go to Section 17.01 BLDSTOOL	721	35.69	40.67
7	Don't know/Not Sure—Go to Section 17.01 BLDSTOOL	50	2.48	2.06
9	Refused—Go to Section 17.01 BLDSTOOL	122	6.04	5.84
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2;	5,036		

Ever Had PSA Test

Section: 16.4 Prostate Cancer Screening

Type: Num

Column: 187

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,165	61.90	56.68
2	No—Go to Section 17.01 BLDSTOOL	565	30.02	35.57
7	Don't know/Not Sure—Go to Section 17.01 BLDSTOOL	47	2.50	2.21
9	Refused—Go to Section 17.01 BLDSTOOL	105	5.58	5.54
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.03, PCPSARE1, is coded 2, 7, 9 or missing;	5,174		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Time Since Last PSA Test

Section: 16.5 Prostate Cancer Screening

Type: Num

Column: 188

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	772	66.27	66.83
2	Within the past 2 years (1 year but less than 2 years ago)	177	15.19	15.16
3	Within the past 3 years (2 years but less than 3 years ago)	69	5.92	5.48
4	Within the past 5 years (3 years but less than 5 years ago)	42	3.61	4.04
5	5 or more years ago	69	5.92	5.82
7	Don't know/Not Sure	33	2.83	2.47
9	Refused	3	0.26	0.19
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.03, PCPSARE1, is coded 2, 7, 9 or missing; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing	5,891		

What was the MAIN reason you had this PSA test?

Section: 16.6 Prostate Cancer Screening

Type: Num

Column: 189

SAS Variable Name: PCPSARS1

Prologue:

Description: What was the MAIN reason you had this PSA test – was it ...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Part of a routine exam	899	77.17	77.86
2	Because of a prostate problem	113	9.70	8.65
3	Because of a family history of prostate cancer	39	3.35	3.46
4	Because you were told you had prostate cancer	47	4.03	4.07
5	Some other reason	53	4.55	4.74
7	Don't know/Not Sure	7	0.60	0.51
9	Refused	7	0.60	0.72
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.03, PCPSARE1, is coded 2, 7, 9 or missing; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing	5,891		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Had Blood Stool Test Using Home Kit

Section: 17.1 Colorectal Cancer Screening

Type: Num

Column: 190

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,606	33.62	31.48
2	No—Go to Section 17.03 HADSIGM3	2,796	58.53	61.55
7	Don't know/Not Sure—Go to Section 17.03 HADSIGM3	49	1.03	1.05
9	Refused—Go to Section 17.03 HADSIGM3	326	6.82	5.92
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 50	2,279		

Time Since Last Blood Stool Test

Section: 17.2 Colorectal Cancer Screening

Type: Num

Column: 191

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	505	31.44	31.37
2	Within the past 2 years (1 year but less than 2 years ago)	229	14.26	12.89
3	Within the past 3 years (2 years but less than 3 years ago)	184	11.46	10.87
4	Within the past 5 years (3 years but less than 5 years ago)	155	9.65	9.85
5	5 or more years ago	450	28.02	29.63
7	Don't know/Not sure	82	5.11	5.38
9	Refused	1	0.06	0.01
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 50; or Section 17.01, BLDSTOOL, is coded 2, 7, 9, or Missing	5,450		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Had Sigmoidoscopy/Colonoscopy

Section: 17.3 Colorectal Cancer Screening

Type: Num

Column: 192

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,078	64.45	63.19
2	No—Go to Section 18.01 HIVTST6	1,340	28.06	30.34
7	Don't know/Not Sure—Go to Section 18.01 HIVTST6	29	0.61	0.48
9	Refused—Go to Section 18.01 HIVTST6	329	6.89	5.99
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 50	2,280		

Was your last test a sigmoidoscopy or colonoscopy?

Section: 17.4 Colorectal Cancer Screening

Type: Num

Column: 193

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Sigmoidoscopy	81	2.63	2.52
2	Colonoscopy	2,965	96.33	96.53
7	Don't know/Not Sure	30	0.97	0.78
9	Refused	2	0.06	0.17
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 50; or Section 17.03, HADSIGM3, is coded 2, 7, 9, or Missing	3,978		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Time Since Last Sigmoidoscopy/Colonoscopy

Section: 17.5 Colorectal Cancer Screening

Type: Num

Column: 194

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	686	22.29	23.02
2	Within the past 2 years (1 year but less than 2 years ago)	547	17.77	18.72
3	Within the past 3 years (2 years but less than 3 years ago)	542	17.61	17.09
4	Within the past 5 years (3 years but less than 5 years ago)	653	21.22	20.66
5	Within the past 10 years (5 years but less than 10 years ago)	403	13.09	13.38
6	10 or more years ago	164	5.33	4.96
7	Don't know/Not sure	79	2.57	1.98
9	Refused	4	0.13	0.19
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 50; or Section 17.03, HADSIGM3, is coded 2, 7, 9, or Missing	3,978		

Ever tested HIV

Section: 18.1 HIV/AIDS

Type: Num

Column: 195

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,061	29.25	36.01
2	No-Go to Section 18.03 HIVRISK3	4,101	58.19	52.70
7	Don't know/Not Sure-Go to Section 18.03 HIVRISK3	395	5.61	4.79
9	Refused-Go to Section 18.03 HIVRISK3	490	6.95	6.50
BLANK	Not asked or Missing	9		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Month and Year of Last HIV Test

Section: 18.2 HIV/AIDS

Type: Num

Column: 196-201

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122008	Code month and year Notes: __/___ month and year	1,046	50.75	55.04
777777	Don't know/Not sure	993	48.18	44.23
999999	Refused	22	1.07	0.73
BLANK	Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing	4,995		

Do Any High Risk Situations Apply

Section: 18.3 HIV/AIDS

Type: Num

Column: 202

SAS Variable Name: HIVRISK3

Prologue:

Description: I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	127	1.80	3.20
2	No	6,261	88.86	88.65
7	Don't know/Not sure	12	0.17	0.17
9	Refused	646	9.17	7.98
BLANK	Not asked or Missing	10		

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 210

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,443	59.23	53.89
2	No	2,144	36.88	42.46
7	Don't know/Not Sure	209	3.60	3.33
9	Refused	17	0.29	0.31
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 1	1,243		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 211

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	638	10.98	9.16
2	Yes, during pregnancy	76	1.31	1.18
3	No	5,063	87.10	88.85
7	Don't know/Not Sure	18	0.31	0.49
9	Refused	18	0.31	0.32
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 1; If Section 05.13, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes);	1,243		

Age When Told Diabetic

Module: 2.1 Diabetes

Type: Num

Column: 212-213

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: __ Code age in years, 97 = 97 or older	1,040	93.86	95.22
98	Don't know/Not sure	63	5.69	4.32
99	Refused	5	0.45	0.46
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

Now Taking Insulin

Module: 2.2 Diabetes

Type: Num

Column: 214

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	375	33.84	33.89
2	No	733	66.16	66.11
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Often Check Blood for Glucose

Module: 2.3 Diabetes

Type: Num

Column: 215-217

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	759	68.50	65.36
201 - 299	Times per week Notes: 2 _ _ Times per week	178	16.06	17.12
301 - 399	Times per month Notes: 3 _ _ Times per month	45	4.06	5.58
401 - 499	Times per year Notes: 4 _ _ Times per year	21	1.90	1.65
777	Don't know/Not sure	23	2.08	2.21
888	Never	81	7.31	8.05
999	Refused	1	0.09	0.04
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes

Type: Num

Column: 218-220

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	827	74.64	72.56
201 - 299	Times per week Notes: 2 _ _ Times per week	102	9.21	9.60
301 - 399	Times per month Notes: 3 _ _ Times per month	25	2.26	2.62
401 - 499	Times per year Notes: 4 _ _ Times per year	11	0.99	1.04
555	No feet	6	0.54	0.78
777	Don't know/Not sure	25	2.26	2.23
888	Never	111	10.02	11.15
999	Refused	1	0.09	0.02
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes

Type: Num

Column: 221-222

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	971	87.64	87.74
88	None	101	9.12	9.64
77	Don't know/Not sure	36	3.25	2.62
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes

Type: Num

Column: 223-224

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	949	85.65	84.46
88	None	68	6.14	7.51
98	Never heard of "A one C" test	10	0.90	1.02
77	Don't know/Not sure	80	7.22	6.99
99	Refused	1	0.09	0.01
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes

Type: Num

Column: 225-226

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	798	72.41	73.87
88	None	264	23.96	23.05
77	Don't know/Not sure	39	3.54	3.07
99	Refused	1	0.09	0.01
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555	5,954		

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes

Type: Num

Column: 227

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	324	29.24	29.32
2	Within the past year (1 month but less than 12 months ago)	468	42.24	40.73
3	Within the past 2 years (1 year but less than 2 years ago)	127	11.46	10.26
4	2 or more years ago	145	13.09	14.25
7	Don't know/Not sure	20	1.81	1.68
8	Never	21	1.90	3.66
9	Refused	3	0.27	0.09
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes

Type: Num

Column: 228

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	235	21.21	22.60
2	No	854	77.08	76.39
7	Don't know/Not sure	17	1.53	0.99
9	Refused	2	0.18	0.02
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes

Type: Num

Column: 229

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	559	50.45	50.61
2	No	544	49.10	49.30
7	Don't know/Not sure	3	0.27	0.07
9	Refused	2	0.18	0.02
BLANK	Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,948		

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 230-231

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 232-233

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 234-235

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 236-237

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Difficulty recognizing friend across street

Module: 4.1 Visual Impairment and Access to Eye Care

Type: Num

Column: 238

SAS Variable Name: VIDFCLT2

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3;	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Difficulty reading typed text

Module: 4.2 Visual Impairment and Access to Eye Care

Type: Num

Column: 239

SAS Variable Name: VIREDIF2

Prologue:

Description: How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8;	7,056		

Last time visited eye care provider

Module: 4.3 Visual Impairment and Access to Eye Care

Type: Num

Column: 240

SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8;	7,056		

Reason did not use eye doc past 12 mos

Module: 4.4 Visual Impairment and Access to Eye Care

Type: Num

Column: 241-242

SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded 1, 2, or 8;	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

When last eyexam

Module: 4.5 Visual Impairment and Access to Eye Care

Type: Num

Column: 243

SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 02.08, EYEEXAM, is not blank; or Module 2.08, EYEEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8;	7,056		

Eye care health insurance

Module: 4.6 Visual Impairment and Access to Eye Care

Type: Num

Column: 244

SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8;	7,056		

Hlth care pro said now have cataracts

Module: 4.7 Visual Impairment and Access to Eye Care

Type: Num

Column: 245

SAS Variable Name: VICTRCT4

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Hlth care pro EVER said have glaucoma

Module: 4.8 Visual Impairment and Access to Eye Care

Type: Num

Column: 246

SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, V	7,056		

Hlth care pro EVER said have macular degeneration

Module: 4.9 Visual Impairment and Access to Eye Care

Type: Num

Column: 247

SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, V	7,056		

How often did you drink regular soda or pop that contains sugar?

Module: 5.1 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 248-250

SAS Variable Name: SSBSUGR1

Prologue:

Description: During the past 30 days, how often did you drink regular soda or pop that contains sugar? Do not include diet soda or diet pop.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	1,437	20.77	24.82
201 - 299	Times per week	684	9.89	10.68
301 - 399	Times per month	1,534	22.17	23.35
777	Don't know/Not sure	114	1.65	1.59
888	Never	2,602	37.61	32.17
999	Refused	548	7.92	7.38
BLANK	Not asked or Missing	137		

How often did you drink sweetened fruit drinks, such as Kool-aid, cranberry juice cocktail, and lemonade?

Module: 5.2 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 251-253

SAS Variable Name: SSBFRUT1

Prologue:

Description: During the past 30 days, how often did you drink sweetened fruit drinks, such as Kool-aid, cranberry juice cocktail, and lemonade? Include fruit drinks you made at home and added sugar to.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	719	10.39	13.31
201 - 299	Times per week	594	8.59	9.96
301 - 399	Times per month	1,093	15.80	17.76
777	Don't know/Not sure	129	1.86	1.87
888	Never	3,826	55.30	49.62
999	Refused	558	8.06	7.49
BLANK	Not asked or Missing	137		

How often does calorie information help you decide what to order?

Module: 5.3 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 254-255

SAS Variable Name: SSBCALRI

Prologue: The next question is about eating out at fast food and chain restaurants.

Description: When calorie information is available in the restaurant, how often does this information help you decide what to order?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	695	10.04	9.87
2	Most of the time	770	11.13	11.16
3	About half the time	415	6.00	6.62
4	Sometimes	1,244	17.98	19.24
5	Never	2,382	34.43	34.26
6	Never noticed or never looked for calorie information	438	6.33	6.66
8	Usually cannot find calorie information	16	0.23	0.22
55	Do not eat at fast food or chain restaurants	311	4.49	3.35
77	Don't know/Not sure	32	0.46	0.36
99	Refused	616	8.90	8.26
BLANK	Not asked or Missing	137		

Number Of Sunburns In Past 12 Months

Module: 6.1 Excess Sun Exposure

Type: Num

Column: 256

SAS Variable Name: NUMBURN2

Prologue:

Description: In the past 12 months, how many times did you have a red OR painful sunburn that lasted a day or more?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How many days did you not get enough sleep in past 30 days

Module: 7.1 Inadequate Sleep

Type: Num

Column: 257-258

SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How Much Time Do You Sleep

Module: 7.2 Inadequate Sleep

Type: Num

Column: 259-260

SAS Variable Name: SLEPTIME

Prologue:

Description: On average, how many hours of sleep do you get in a 24-hour period? Think about the time you actually spend sleeping or napping, not just the amount of sleep you think you should get. (Enter hours of sleep in whole numbers, rounding 30 minutes (1/2 hour) or more up to the next whole hour and dropping 29 or fewer minutes.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Do you snore?

Module: 7.3 Inadequate Sleep

Type: Num

Column: 261

SAS Variable Name: SLEPSNOR

Prologue:

Description: Do you snore? (If the respondent indicates that their spouse or someone told him/her that they snore, then the answer to the question is 'Yes' the respondent snores.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Number of Days in Past Thirty Felt You Did Not Get Enough Sleep

Module: 7.4 Inadequate Sleep

Type: Num

Column: 262-263

SAS Variable Name: SLEPDAY

Prologue:

Description: During the past 30 days, for about how many days did you find yourself unintentionally falling asleep during the day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Number of Days in Past Thirty Fell Asleep While Driving

Module: 7.5 Inadequate Sleep

Type: Num

Column: 264

SAS Variable Name: SLEPDRIV

Prologue:

Description: During the past 30 days, have you ever nodded off or fallen asleep, even just for a brief moment, while driving?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How many times did you drink 100%% PURE fruit juices?

Module: 8.1 Fruits and Vegetables

Type: Num

Column: 265-267

SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100%% PURE fruit juices? Do not include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include 100%% juice.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,021	14.76	13.57
201 - 299	Per week	752	10.87	11.50
300	Less than one time per month	96	1.39	1.45
301 - 399	Per month	1,659	23.98	27.31
555	Never	2,521	36.44	33.98
777	Don't know/Not sure	161	2.33	2.56
999	Refused	709	10.25	9.62
BLANK	Not asked or Missing	137		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you eat fruit?

Module: 8.2 Fruits and Vegetables

Type: Num

Column: 268-270

SAS Variable Name: FRUIT1

Prologue:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh, frozen, or canned fruit. (Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce, oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit,)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	2,344	33.88	32.30
201 - 299	Per week	1,421	20.54	20.02
300	Less than one time per month	23	0.33	0.57
301 - 399	Per month	1,950	28.19	30.74
555	Never	301	4.35	4.43
777	Don't know/Not sure	161	2.33	2.19
999	Refused	718	10.38	9.74
BLANK	Not asked or Missing	138		

How many times did you eat beans or lentils?

Module: 8.3 Fruits and Vegetables

Type: Num

Column: 271-273

SAS Variable Name: FVBEANS

Prologue:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans. (Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or winged beans, or pole beans.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	438	6.33	5.86
201 - 299	Per week	2,057	29.73	28.13
300	Less than one time per month	43	0.62	0.72
301 - 399	Per month	2,662	38.48	39.84
555	Never	810	11.71	13.29
777	Don't know/Not sure	179	2.59	2.27
999	Refused	729	10.54	9.89
BLANK	Not asked or Missing	138		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you eat dark green vegetables?

Module: 8.4 Fruits and Vegetables

Type: Num

Column: 274-276

SAS Variable Name: FVGREEN

Prologue:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	940	13.59	12.73
201 - 299	Per week	2,130	30.79	30.10
300	Less than one time per month	32	0.46	0.54
301 - 399	Per month	2,334	33.74	35.37
555	Never	579	8.37	9.24
777	Don't know/Not sure	160	2.31	1.96
999	Refused	743	10.74	10.05
BLANK	Not asked or Missing	138		

How many times did you eat orange-colored vegetables?

Module: 8.5 Fruits and Vegetables

Type: Num

Column: 277-279

SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	490	7.08	6.59
201 - 299	Per week	1,923	27.80	25.18
300	Less than one time per month	47	0.68	0.91
301 - 399	Per month	2,644	38.22	40.14
555	Never	849	12.27	14.46
777	Don't know/Not sure	211	3.05	2.46
999	Refused	754	10.90	10.27
BLANK	Not asked or Missing	138		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you eat OTHER vegetables?

Module: 8.6 Fruits and Vegetables

Type: Num

Column: 280-282

SAS Variable Name: VEGETAB1

Prologue:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes. (Read only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Servings per day	2,280	32.96	31.71
201 - 299	Servings per week	1,704	24.63	24.88
300	Less than one time per month	13	0.19	0.21
301 - 399	Servings per month	1,818	26.28	27.93
555	Never	113	1.63	2.03
777	Don't know/Not sure	212	3.06	2.70
999	Refused	778	11.25	10.53
BLANK	Not asked or Missing	138		

Age at Asthma Diagnosis

Module: 9.1 Adult Asthma History

Type: Num

Column: 283-284

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
11 - 96	Age 11 or older [96 = 96 and older] Notes: 96=96 and older	390	54.24	48.63
97	Age 10 or younger	157	21.84	31.61
98	Don't know/Not sure	83	11.54	10.10
99	Refused	89	12.38	9.66
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing	6,337		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Asthma During Past 12 Months

Module: 9.2 Adult Asthma History

Type: Num

Column: 285

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	222	41.04	40.85
2	No—Go to Module 09.05 ASRCHKUP	252	46.58	48.98
7	Don't know/Not sure—Go to Module 09.05 ASRCHKUP	6	1.11	0.91
9	Refused—Go to Module 09.05 ASRCHKUP	61	11.28	9.26
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,515		

Emergency Asthma Care During Past 12 Months

Module: 9.3 Adult Asthma History

Type: Num

Column: 286-287

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	49	22.07	24.52
88	None	167	75.23	72.24
98	Don't know/Not sure	6	2.70	3.24
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 09.02, ASATTACK, is coded 2, 7, 9 or Missing	6,834		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Urgent Asthma Treatment During Past 12 Months

Module: 9.4 Adult Asthma History

Type: Num

Column: 288-289

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	110	49.55	45.39
88	None	106	47.75	50.31
98	Don't know/Not sure	5	2.25	2.53
99	Refused	1	0.45	1.78
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 09.02, ASATTACK, is coded 2, 7, 9 or Missing	6,834		

Routine Asthma Care During Past 12 Months

Module: 9.5 Adult Asthma History

Type: Num

Column: 290-291

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more]	283	52.31	54.45
88	None	186	34.38	34.79
98	Don't know/Not sure	15	2.77	2.11
99	Refused	57	10.54	8.65
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,515		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Activities Limited Because of Asthma During Past 12 Months

Module: 9.6 Adult Asthma History

Type: Num

Column: 292-294

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number of days	140	25.88	29.11
777	Don't know/Not sure	35	6.47	4.51
888	None	307	56.75	57.40
999	Refused	59	10.91	8.98
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,515		

Asthma Symptoms During Past 30 Days

Module: 9.7 Adult Asthma History

Type: Num

Column: 295

SAS Variable Name: ASYMPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	79	14.60	15.92
2	Once or twice a week	74	13.68	14.97
3	More than 2 times a week, but not every day	55	10.17	11.88
4	Every day, but not all the time	78	14.42	14.62
5	Every day, all the time	38	7.02	7.01
7	Don't know/Not sure	29	5.36	4.47
8	Not at any time—Go to Module 09.09 ASTHMED3	116	21.44	19.14
9	Refused	72	13.31	11.99
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,515		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 9.8 Adult Asthma History

Type: Num

Column: 296

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One or two	61	14.35	14.88
2	Three to four	31	7.29	7.32
3	Five	16	3.76	6.09
4	Six to ten	22	5.18	4.13
5	More than ten	50	11.76	11.00
7	Don't know/Not sure	26	6.12	4.76
8	None	145	34.12	37.47
9	Refused	74	17.41	14.35
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 09.07, ASYMPTOM, is coded 8	6,631		

Days used prescribed preventative asthma med in past 30 days

Module: 9.9 Adult Asthma History

Type: Num

Column: 297

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 14 days	92	17.01	18.64
2	15 to 24 days	16	2.96	1.97
3	25 to 30 days	181	33.46	32.42
7	Don't know/Not sure	16	2.96	2.34
8	Never	155	28.65	32.22
9	Refused	81	14.97	12.41
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,515		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times used asthma inhaler during an attack in past 30 days

Module: 9.10 Adult Asthma History

Type: Num

Column: 298

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 4 times (in the past 30 days)	115	21.26	26.44
2	5 to 14 times (in the past 30 days)	56	10.35	9.91
3	15 to 29 times (in the past 30 days)	39	7.21	6.50
4	30 to 59 times (in the past 30 days)	40	7.39	6.29
5	60 to 99 times (in the past 30 days)	8	1.48	1.28
6	100 or more times (in the past 30 days)	5	0.92	0.44
7	Don't know/Not sure	20	3.70	3.33
8	Never (include no attack in past 30 days)	175	32.35	33.00
9	Refused	83	15.34	12.81
BLANK	Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,515		

Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility?

Module: 10.1 High Risk/Health Care Worker

Type: Num

Column: 299

SAS Variable Name: WRKHCF1

Prologue:

Description: Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility? This includes part-time and unpaid work in a health care facility as well as professional nursing care provided in the home.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Do you provide direct patient care as part of your routine work?

Module: 10.2 High Risk/Health Care Worker

Type: Num

Column: 300

SAS Variable Name: DIRCONT1

Prologue:

Description: Do you provide direct patient care as part of your routine work? By direct patient care we mean physical or hands-on contact with patients.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 10.01, WRKHCF1, is coded 2, 7, 9 or missing	7,056		

Has A Doctor, Nurse, Or Other Health Professional Ever Said That You Have...Problem Caused By A Chronic Illness Or By Medicines; Taken For A Chronic Illness?

Module: 10.3 High Risk/Health Care Worker

Type: Num

Column: 301

SAS Variable Name: DRHPAD1

Prologue:

Description: Has a doctor, nurse, or other health professional ever said that you have... Lung problems, other than asthma, Kidney problems, Anemia, including Sickle Cell, Or A weakened immune system caused by a chronic illness or by medicines, taken for a chronic illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Still have this health problem

Module: 10.4 High Risk/Health Care Worker

Type: Num

Column: 302

SAS Variable Name: HAVHPAD

Prologue:

Description: Do you still have (this/any of these) problem(s)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 10.03, DRHPAD1, is coded 2, 7, 9 or Missing	7,056		

Have You Had Shingles Vaccine?

Module: 11.1 Shingles (Zostavax or ZOS)

Type: Num

Column: 303

SAS Variable Name: SHINGLE1

Prologue:

Description: A vaccine for shingles has been available since May 2006, it is called Zostavax®, the zoster vaccine, or the shingles vaccine. Have you had this vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 50	7,056		

Received Tetanus Shot In The Past 10 Years?

Module: 12.1 Tetanus Diphtheria (Adults)

Type: Num

Column: 304

SAS Variable Name: TNSARCV

Prologue:

Description: Have you received a tetanus shot in the past 10 years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Was Most Recent Tetanus Shot In 2005 Or Later?

Module: 12.2 Tetanus Diphtheria (Adults)

Type: Num

Column: 305

SAS Variable Name: TNSARCNT

Prologue:

Description: Was your most recent tetanus shot given in 2005 or later?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 12.01, TNSARCV, is coded 2, 7, 9 or Missing	7,056		

Did Tetanus Shot Included The Pertussis Vaccine?

Module: 12.3 Tetanus Diphtheria (Adults)

Type: Num

Column: 306

SAS Variable Name: TNSASHT1

Prologue: There are currently two types of tetanus shots available for adults. One contains the tetanus diphtheria vaccine. The other type contains tetanus diphtheria and pertussis or whooping cough vaccine.

Description: Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 12.01, TNSARCV, is coded 2, 7, 9 or Missing; or Module 12.02, TNSARCNT, is coded 2	7,056		

Have you ever had the HPV vaccination?

Module: 13.1 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 307

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is greater than 49	7,056		

How many HPV shots did you receive?

Module: 13.2 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 308-309

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is greater than 49; or Module 13.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Why was PSA test done?

Module: 14.1 Prostate Cancer Screening Decision Making Module

Type: Num

Column: 310

SAS Variable Name: PCPSADEC

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing	7,056		

Who made the decision with you to have PSA test?

Module: 14.2 Prostate Cancer Screening Decision Making Module

Type: Char

Column: 311-315

SAS Variable Name: PCDMDECN

Prologue:

Description: Who made the decision with you? (Mark all that apply)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing; or Module 14.01, PCPSADEC, is coded 1, 2, or 4	7,056		

How Many Types of Cancer?

Module: 15.1 Cancer Survivorship

Type: Num

Column: 316

SAS Variable Name: CNCRDIF

Prologue:

Description: How many different types of cancer have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Age Told Had Cancer

Module: 15.2 Cancer Survivorship

Type: Num

Column: 317-318

SAS Variable Name: CNCRAGE

Prologue:

Description: At what age were you told that you had cancer? (If Response = 2 (Two) or 3 (Three or more), ask: "At what age was your first diagnosis of cancer?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or missing	7,056		

Type of Cancer

Module: 15.3 Cancer Survivorship

Type: Num

Column: 319-320

SAS Variable Name: CNCRTYP1

Prologue:

Description: What type of cancer was it? (If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or missing	7,056		

Currently Receiving Treatment for Cancer

Module: 15.4 Cancer Survivorship

Type: Num

Column: 321

SAS Variable Name: CSRVRT1

Prologue:

Description: Are you currently receiving treatment for cancer? By treatment, we mean surgery, radiation therapy, chemotherapy, or chemotherapy pills.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What Type of Doctor Provides Majority of Your Care

Module: 15.5 Cancer Survivorship

Type: Num

Column: 322-323

SAS Variable Name: CSRVD0C1

Prologue:

Description: What type of doctor provides the majority of your health care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	7,056		

Did You Receive a Summary of Cancer Treatments Received

Module: 15.6 Cancer Survivorship

Type: Num

Column: 324

SAS Variable Name: CSRVSUM

Prologue:

Description: Did any doctor, nurse, or other health professional EVER give you a written summary of all the cancer treatments that you received?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	7,056		

Ever Receive Instructions From A Doctor For Follow-Up Check-Ups

Module: 15.7 Cancer Survivorship

Type: Num

Column: 325

SAS Variable Name: CSRVRTRN

Prologue:

Description: Have you EVER received instructions from a doctor, nurse, or other health professional about where you should return or who you should see for routine cancer check-ups after completing treatment for cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Instructions Written or Printed

Module: 15.8 Cancer Survivorship

Type: Num

Column: 326

SAS Variable Name: CSRVINST

Prologue:

Description: Were these instructions written down or printed on paper for you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; or	7,056		

Did Health Insurance Pay For All Of Your Cancer Treatment

Module: 15.9 Cancer Survivorship

Type: Num

Column: 327

SAS Variable Name: CSRVINSR

Prologue:

Description: With your most recent diagnosis of cancer, did you have health insurance that paid for all or part of your cancer treatment? ("Health insurance" also includes Medicare, Medicaid, or other types of state health programs.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; or	7,056		

Ever Denied Insurance Coverage Because Of Your Cancer?

Module: 15.10 Cancer Survivorship

Type: Num

Column: 328

SAS Variable Name: CSRVDEIN

Prologue:

Description: Were you EVER denied health insurance or life insurance coverage because of your cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	7,056		

Behavioral Risk Factor Surveillance System
TENNESSEE 2012 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Participate In Clinical Trial As Part Of Cancer Treatment?

Module: 15.11 Cancer Survivorship

Type: Num

Column: 329

SAS Variable Name: CSRVCLIN

Prologue:

Description: Did you participate in a clinical trial as part of your cancer treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	7,056		

Currently Have Physical Pain From Cancer Or Treatment?

Module: 15.12 Cancer Survivorship

Type: Num

Column: 330

SAS Variable Name: CSRVPAIN

Prologue:

Description: Do you currently have physical pain caused by your cancer or cancer treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	7,056		

Is Pain Under Control?

Module: 15.13 Cancer Survivorship

Type: Num

Column: 331

SAS Variable Name: CSRVCTL1

Prologue:

Description: Is your pain currently under control?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How do other people usually classify you in this country?

Module: 16.1 Reactions to Race

Type: Num

Column: 332

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How often do you think about your race?

Module: 16.2 Reactions to Race

Type: Num

Column: 333

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 16.3 Reactions to Race

Type: Num

Column: 334

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 5, 6, 7, 8, 9 or Missing	7,056		

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 16.4 Reactions to Race

Type: Num

Column: 335

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 16.5 Reactions to Race

Type: Num

Column: 336

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 16.6 Reactions to Race

Type: Num

Column: 337

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How often feel nervous past 30 days

Module: 17.1 Mental Illness & Stigma

Type: Num

Column: 338

SAS Variable Name: MISNERVS

Prologue:

Description: About how often during the past 30 days did you feel nervous- would you say all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How often feel hopeless past 30 days

Module: 17.2 Mental Illness & Stigma

Type: Num

Column: 339

SAS Variable Name: MISHOPLS

Prologue:

Description: During the past 30 days, about how often did you feel hopeless- all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How often feel restless past 30 days

Module: 17.3 Mental Illness & Stigma

Type: Num

Column: 340

SAS Variable Name: MISRSTLS

Prologue:

Description: During the past 30 days, about how often did you feel restless or fidgety? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How often feel depressed past 30 days

Module: 17.4 Mental Illness & Stigma

Type: Num

Column: 341

SAS Variable Name: MISDEPRD

Prologue:

Description: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How often feel everything was an effort past 30 days

Module: 17.5 Mental Illness & Stigma

Type: Num

Column: 342

SAS Variable Name: MISEFFRT

Prologue:

Description: During the past 30 days, about how often did you feel that everything was an effort? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

How often feel worthless past 30 days

Module: 17.6 Mental Illness & Stigma

Type: Num

Column: 343

SAS Variable Name: MISWTLES

Prologue:

Description: During the past 30 days, about how often did you feel worthless? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Emotional problem kept you from doing work past 30 days

Module: 17.7 Mental Illness & Stigma

Type: Num

Column: 344-345

SAS Variable Name: MISNOWRK

Prologue:

Description: During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from doing your work or other usual activities? (If asked, "usual activities" includes housework, self-care, caregiving, volunteer work, attending school, studies or recreation.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Receiving medicine or treatment from health pro for emotional problem

Module: 17.8 Mental Illness & Stigma

Type: Num

Column: 346

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Mental health treatment can help people lead normal life

Module: 17.9 Mental Illness & Stigma

Type: Num

Column: 347

SAS Variable Name: MISTRHLP

Prologue: These next questions ask about peoples' attitudes toward mental illness and its treatment.

Description: Treatment can help people with mental illness lead normal lives. Do you agree slightly or strongly, or disagree slightly or strongly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

People are generally caring toward people with mental illness

Module: 17.10 Mental Illness & Stigma

Type: Num

Column: 348

SAS Variable Name: MISPHLPF

Prologue:

Description: People are generally caring and sympathetic to people with mental illness. Do you agree slightly or strongly or disagree slightly or strongly? (If asked for the purpose of Q9 or Q10, say: "answers to these questions will be used by health planners to help understand public attitudes about mental illness and its treatment and to help guide health education programs.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 18.1 Social Context

Type: Num

Column: 349

SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	753	11.98	12.69
2	Usually	185	2.94	3.82
3	Sometimes	754	12.00	13.76
4	Rarely	567	9.02	10.84
5	Never	3,053	48.59	44.33
7	Don't know/Not Sure	11	0.18	0.28
8	Not applicable	336	5.35	4.30
9	Refused	624	9.93	9.99
BLANK	Not asked or Missing Notes: Section 07.21, RENTHOM1, is coded 3, 7, 9 or Missing	773		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 18.2 Social Context

Type: Num

Column: 350

SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	594	8.59	8.10
2	Usually	208	3.01	3.23
3	Sometimes	870	12.58	14.29
4	Rarely	591	8.54	10.17
5	Never	3,742	54.09	51.84
7	Don't know/Not Sure	18	0.26	0.33
8	Not applicable	46	0.66	0.67
9	Refused	849	12.27	11.37
BLANK	Not asked or Missing	138		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Are You Generally Paid For The Work You Do

Module: 18.3 Social Context

Type: Num

Column: 351

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Paid by salary	960	32.72	30.11
2	Paid by the hour	1,271	43.32	46.31
3	Paid by the job/task (e.g. commission, piecework)	224	7.63	8.04
4	Paid some other way	157	5.35	5.30
7	Don't know/Not Sure	16	0.55	0.53
9	Refused	306	10.43	9.71
BLANK	Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 3, 4, 5, 6, 7, or 8	4,122		

How Many Hours Per Week Do You Work

Module: 18.4 Social Context

Type: Num

Column: 352-353

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 96	Hours (1-96 or more)—Go to next Module	2,589	88.24	89.29
97	Don't know/Not Sure—Go to next Module	65	2.22	2.01
98	Zero (none)—Go to next Module	17	0.58	0.55
99	Refused—Go to next Module	263	8.96	8.15
BLANK	Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 3, 4, 5, 6, 7, or 8	4,122		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Were You Generally Paid For The Work You Did

Module: 18.5 Social Context

Type: Num

Column: 354

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Paid by salary	854	32.96	29.60
2	Paid by the hour	1,048	40.45	45.12
3	Paid by the job/task (e.g. commission, piecework)	119	4.59	5.02
4	Paid some other way	102	3.94	3.98
7	Don't know/Not Sure	86	3.32	2.48
9	Refused	382	14.74	13.81
BLANK	Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 1, 2, 5, 6, or 8; or Module 18.04, SCNTWRK1, is > 0	4,465		

How Many Hours Per Week Did You Work

Module: 18.6 Social Context

Type: Num

Column: 355-356

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 96	Hours (1-96 or more)	2,974	74.80	74.89
97	Don't know/Not Sure	179	4.50	3.66
98	Zero (none)	308	7.75	8.58
99	Refused	515	12.95	12.87
BLANK	Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 1, 2, 5, 6, or 8; or Module 18.04, SCNTWRK1, is > 0	3,080		

Household prepared to handle large-scale disaster or emergency

Module: 19.1 General Preparedness

Type: Num

Column: 357

SAS Variable Name: GPWELPR3

Prologue:

Description: How well prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Does your household have a 3-day supply of water for everyone who lives there?

Module: 19.2 General Preparedness

Type: Num

Column: 358

SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 19.3 General Preparedness

Type: Num

Column: 359

SAS Variable Name: GP3DYFD1

Prologue:

Description: Does your household have a 3-day supply of nonperishable food for everyone who lives there? By nonperishable we mean food that does not require refrigeration or cooking.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 19.4 General Preparedness

Type: Num

Column: 360

SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 19.5 General Preparedness

Type: Num

Column: 361

SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 19.6 General Preparedness

Type: Num

Column: 362

SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 19.7 General Preparedness

Type: Num

Column: 363

SAS Variable Name: GPEMRCM1

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method or way of communicating with relatives and friends?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 19.8 General Preparedness

Type: Num

Column: 364

SAS Variable Name: GPEMRIN1

Prologue:

Description: What would be your main method or way of getting information from authorities in a large-scale disaster or emergency?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Does your household have a disaster evacuation plan?

Module: 19.9 General Preparedness

Type: Num

Column: 365

SAS Variable Name: GPVACPL1

Prologue:

Description: Does your household have a written disaster evacuation plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 19.10 General Preparedness

Type: Num

Column: 366

SAS Variable Name: GPMNDEVC

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

What would be the main reason why you might not evacuate if asked to do so?

Module: 19.11 General Preparedness

Type: Num

Column: 367-368

SAS Variable Name: GPNOTEV1

Prologue:

Description: What would be the main reason you might not evacuate if asked to do so?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 19.10, GPMNDEVC, is coded 1	7,056		

Ever serve in a combat or war zone?

Module: 20.1 Veteran's Health

Type: Num

Column: 369

SAS Variable Name: VHCOMBAT

Prologue:

Description: Did you ever serve in a combat or war zone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	296	32.89	35.71
2	No	486	54.00	51.12
9	Refused	118	13.11	13.17
BLANK	Not asked or Missing Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing	6,156		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Doctor diagnosed depression, anxiety, or post traumatic stress disorder (PTSD)?

Module: 20.2 Veteran's Health

Type: Num

Column: 370

SAS Variable Name: VHDRPTSD

Prologue:

Description: Has a doctor or other health professional ever told you that you have depression, anxiety, or post traumatic stress disorder (PTSD)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	119	13.22	15.00
2	No	656	72.89	71.65
7	Don't know/Not Sure	6	0.67	0.46
9	Refused	119	13.22	12.90
BLANK	Not asked or Missing Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing	6,156		

Doctor diagnosed traumatic brain injury (TBI)?

Module: 20.3 Veteran's Health

Type: Num

Column: 371

SAS Variable Name: VHDRTBI

Prologue: A traumatic brain injury may result from a violent blow to the head or when an object pierces the skull and enters the brain tissue.

Description: Has a doctor or other health professional ever told you that you have suffered a traumatic brain injury (TBI)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	2.78	3.17
2	No	756	84.00	83.92
7	Don't know/Not Sure	1	0.11	0.09
9	Refused	118	13.11	12.82
BLANK	Not asked or Missing Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing	6,156		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Receive psychological or psychiatric counseling or treatment past 12 months?

Module: 20.4 Veteran's Health

Type: Num

Column: 372

SAS Variable Name: VHCOUNSL

Prologue:

Description: In the past 12 months, did you receive any psychological or psychiatric counseling or treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, from a VA facility	55	6.11	6.57
2	Yes, from a non-VA facility	24	2.67	3.73
3	Yes, from both VA and non-VA facilities	8	0.89	0.88
4	No	693	77.00	75.62
7	Don't know/Not Sure	1	0.11	0.26
9	Refused	119	13.22	12.94
BLANK	Not asked or Missing Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing	6,156		

Thought of taking your own life in the past 12 months?

Module: 20.5 Veteran's Health

Type: Num

Column: 373

SAS Variable Name: VHTAKLIF

Prologue: The next few questions are a sensitive topic and some people may feel uncomfortable with these questions. At the end of this section, I will give you a phone number for an organization that can provide information and referral for these issues. Please keep in mind that you can ask me to skip any question you do not want to answer.

Description: Has there been a time in the past 12 months when you thought of taking your own life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	4.56	5.36
2	No-Go to next module	731	81.22	80.59
7	Don't know/Not Sure-Go to next module	1	0.11	0.27
9	Refused-Go to next module	127	14.11	13.78
BLANK	Not asked or Missing Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing	6,156		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Attempt to commit suicide in past 12 months?

Module: 20.6 Veteran's Health

Type: Num

Column: 374

SAS Variable Name: VHSUICID

Prologue:

Description: During the past 12 months, did you attempt to commit suicide? Would you say--- (As I mentioned, I would give you a phone number for an organization that can provide information and referral for these issues. You can dial the National Crisis line at 1-800-273-TALK (8255).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, but did not require treatment	1	2.44	0.82
2	Yes, was treated at a VA facility	2	4.88	4.25
3	Yes, was treated at a non-VA facility	3	7.32	8.43
4	No	35	85.37	86.50
BLANK	Not asked or Missing Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing; or Module 20.05, VHTAKLIF, is coded 2, 7, 9, or missing	7,015		

Ever had a breathing test to diagnose your COPD?

Module: 21.1 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 375

SAS Variable Name: COPDTEST

Prologue:

Description: Have you ever been given a breathing test to diagnose your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	540	68.53	68.13
2	No	112	14.21	13.16
7	Don't know / Not sure	10	1.27	1.66
9	Refused	126	15.99	17.05
BLANK	Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing;	6,268		

Does shortness of breath affect quality of life?

Module: 21.2 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 376

SAS Variable Name: COPDQOL

Prologue:

Description: Would you say that shortness of breath affects the quality of your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	465	59.01	59.03
2	No	186	23.60	22.72
7	Don't know / Not sure	9	1.14	0.78
9	Refused	128	16.24	17.47
BLANK	Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing;	6,268		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Have you seen doctor about shortness of breath?

Module: 21.3 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 377

SAS Variable Name: COPDDOC

Prologue:

Description: Other than a routine visit, have you had to see a doctor in the past 12 months for symptoms related to shortness of breath, bronchitis, or other COPD, or emphysema flare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	299	37.94	37.74
2	No	356	45.18	44.50
7	Don't know / Not sure	4	0.51	0.22
9	Refused	129	16.37	17.53
BLANK	Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing;	6,268		

Been to E.R. or hospital because of COPD?

Module: 21.4 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 378

SAS Variable Name: COPDHOSP

Prologue:

Description: Did you have to visit an emergency room or be admitted to the hospital in the past 12 months because of your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	105	13.32	12.10
2	No	549	69.67	70.15
7	Don't know / Not sure	4	0.51	0.10
9	Refused	130	16.50	17.65
BLANK	Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing;	6,268		

How many medications do you take for COPD?

Module: 21.5 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 379-380

SAS Variable Name: COPDMEDS

Prologue:

Description: How many different medications do you currently take each day to help with your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number (00-76)	430	54.57	51.33
88	None	219	27.79	30.85
77	Don't know / Not sure	17	2.16	1.61
99	Refused	122	15.48	16.21
BLANK	Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing;	6,268		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Live With Anyone Depressed, Mentally Ill, Or Suicidal?

Module: 22.1 Adverse Childhood Experience

Type: Num

Column: 381

SAS Variable Name: ACEDEPRS

Prologue:

Description: Did you live with anyone who was depressed, mentally ill, or suicidal?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	935	13.52	15.18
2	No	4,746	68.61	67.98
7	Don't know/Not Sure	35	0.51	0.45
9	Refused	1,201	17.36	16.40
BLANK	Not asked or Missing	139		

Live With a Problem Drinker/Alcoholic?

Module: 22.2 Adverse Childhood Experience

Type: Num

Column: 382

SAS Variable Name: ACEDRINK

Prologue:

Description: Did you live with anyone who was a problem drinker or alcoholic?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,490	21.54	22.80
2	No	4,208	60.83	60.59
7	Don't know/Not Sure	13	0.19	0.11
9	Refused	1,207	17.45	16.50
BLANK	Not asked or Missing	138		

Live With Anyone Who Used Illegal Drugs or Abused Prescriptions?

Module: 22.3 Adverse Childhood Experience

Type: Num

Column: 383

SAS Variable Name: ACEDRUGS

Prologue:

Description: Did you live with anyone who used illegal street drugs or who abused prescription medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	475	6.87	9.82
2	No	5,211	75.33	73.30
7	Don't know/Not Sure	24	0.35	0.30
9	Refused	1,208	17.46	16.58
BLANK	Not asked or Missing	138		

Live With Anyone Who Served Time in Prison or Jail?

Module: 22.4 Adverse Childhood Experience

Type: Num

Column: 384

SAS Variable Name: ACEPRISN

Prologue:

Description: Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	419	6.06	8.87
2	No	5,275	76.25	74.35
7	Don't know/Not Sure	14	0.20	0.15
9	Refused	1,210	17.49	16.63
BLANK	Not asked or Missing	138		

Were Your Parents Divorced/Seperated?

Module: 22.5 Adverse Childhood Experience

Type: Num

Column: 385

SAS Variable Name: ACEDIVRC

Prologue:

Description: Were your parents separated or divorced?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,390	20.09	25.23
2	No	4,180	60.42	55.72
7	Don't know/Not Sure	33	0.48	0.43
8	Parents not married	104	1.50	1.90
9	Refused	1,211	17.51	16.73
BLANK	Not asked or Missing	138		

How Often Did Your Parents Beat Each Other Up?

Module: 22.6 Adverse Childhood Experience

Type: Num

Column: 386

SAS Variable Name: ACEPUNCH

Prologue:

Description: How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never	4,596	66.44	66.63
2	Once	220	3.18	3.32
3	More than once	769	11.12	11.79
7	Don't know/Not Sure	84	1.21	1.05
9	Refused	1,249	18.05	17.22
BLANK	Not asked or Missing	138		

How Often Did A Parent Physically Hurt You In Any Way?

Module: 22.7 Adverse Childhood Experience

Type: Num

Column: 387

SAS Variable Name: ACEHURT

Prologue:

Description: Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking. Would you say---

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never	4,906	70.92	70.62
2	Once	136	1.97	2.22
3	More than once	583	8.43	9.51
7	Don't know/Not Sure	35	0.51	0.43
9	Refused	1,258	18.18	17.22
BLANK	Not asked or Missing	138		

How Often Did A Parent Swear At You?

Module: 22.8 Adverse Childhood Experience

Type: Num

Column: 388

SAS Variable Name: ACESWEAR

Prologue:

Description: How often did a parent or adult in your home ever swear at you, insult you, or put you down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never	4,075	58.90	56.74
2	Once	274	3.96	5.13
3	More than once	1,246	18.01	20.12
7	Don't know/Not Sure	62	0.90	0.65
9	Refused	1,261	18.23	17.35
BLANK	Not asked or Missing	138		

How Often Did Anyone Ever Touch You Sexually?

Module: 22.9 Adverse Childhood Experience

Type: Num

Column: 389

SAS Variable Name: ACETOUCH

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, ever touch you sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never	5,004	72.33	73.32
2	Once	186	2.69	2.76
3	More than once	393	5.68	5.44
7	Don't know/Not Sure	32	0.46	0.46
9	Refused	1,303	18.83	18.02
BLANK	Not asked or Missing	138		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Often Did Anyone Make You Touch Them Sexually?

Module: 22.10 Adverse Childhood Experience

Type: Num

Column: 390

SAS Variable Name: ACETTHEM

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, try to make you touch them sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never	5,157	74.54	75.12
2	Once	147	2.12	2.44
3	More than once	271	3.92	3.98
7	Don't know/Not Sure	33	0.48	0.30
9	Refused	1,310	18.94	18.17
BLANK	Not asked or Missing	138		

How Often Did Anyone Ever Force You to Have Sex?

Module: 22.11 Adverse Childhood Experience

Type: Num

Column: 391

SAS Variable Name: ACEHVSEX

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, force you to have sex?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never	5,270	76.19	77.35
2	Once	108	1.56	1.47
3	More than once	192	2.78	2.65
7	Don't know/Not Sure	24	0.35	0.23
9	Refused	1,323	19.13	18.29
BLANK	Not asked or Missing	139		

Birth date of child

Module: 23.1 Random Child Selection

Type: Char

Column: 392-397

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	63	4.13	4.69
999999	Refused	314	20.58	21.79
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing;	5,530		
HIDDEN	Data not displayed	1,149	75.29	73.52

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Gender of child

Module: 23.2 Random Child Selection

Type: Num

Column: 398

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	664	43.51	42.50
2	Girl	578	37.88	37.09
9	Refused	284	18.61	20.41
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	5,530		

Ethnicity of child

Module: 23.3 Random Child Selection

Type: Num

Column: 399

SAS Variable Name: RCHISLAT

Prologue:

Description: Is the child Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	2.42	3.28
2	No	1,205	78.96	76.21
9	Refused	284	18.61	20.52
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	5,530		

Race of child (multiple possible)

Module: 23.4 Random Child Selection

Type: Char

Column: 400-405

SAS Variable Name: RCSRACE

Prologue:

Description: Which one or more of the following would you say is the race of the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.07	0.21
9	Refused	281	18.41	20.30
BLANK	Not asked or Missing	5,530		
HIDDEN	Data Not Displayed Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	1,244	81.52	79.49

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Race of child

Module: 23.5 Random Child Selection

Type: Num

Column: 406

SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4	18.18	10.74
2	Black or African American	12	54.55	57.37
5	American Indian or Alaskan Native	2	9.09	6.95
6	Other	3	13.64	22.48
7	Don't know/Not sure	1	4.55	2.46
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months; or Module 23.04, RCSRACE, has only one valid race code (1-6)	7,034		

Relationship to child

Module: 23.6 Random Child Selection

Type: Num

Column: 407

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent) Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,038	68.02	66.23
2	Grandparent	129	8.45	5.79
3	Foster parent or guardian	12	0.79	0.55
4	Sibling (include biologic, step, and adoptive sibling)	27	1.77	3.98
5	Other relative	30	1.97	2.51
6	Not related in any way	13	0.85	1.06
9	Refused	277	18.15	19.88
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	5,530		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Hlth pro ever said child has asthma

Module: 24.1 Childhood Asthma Prevalence

Type: Num

Column: 408

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	159	10.42	8.73
2	No-Go to next module	1,070	70.12	69.53
7	Don't know/Not Sure-Go to next module	12	0.79	1.22
9	Refused-Go to next module	285	18.68	20.51
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing	5,530		

Child still have asthma?

Module: 24.2 Childhood Asthma Prevalence

Type: Num

Column: 409

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	65.41	64.88
2	No	51	32.08	33.06
7	Don't know/Not Sure	4	2.52	2.06
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 24.01, CASTHDX2, is coded 2, 7, 9, or Missing	6,897		

Child dad seasonal flu shot past 12 mos

Module: 25.1 Childhood Immunization

Type: Num

Column: 410

SAS Variable Name: FLUSHCH2

Prologue: There are two types of seasonal flu vaccinations. One is a shot and the other is a spray in the nose.

Description: During the past 12 months, has [Fill: he/she] had a seasonal flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	595	39.59	37.43
2	No-Go to next module	575	38.26	37.59
7	Don't know/Not Sure-Go to next module	48	3.19	3.95
9	Refused-Go to next module	285	18.96	21.03
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE < 6 months;	5,553		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Date child rcvd most recent seasonal flu vaccine(mmyyyy)

Module: 25.2 Childhood Immunization

Type: Char

Column: 411-416

SAS Variable Name: RCVFVCH4

Prologue: The flu vaccination may have been either the flu shot or the flu spray. The flu spray is the flu vaccination that is sprayed in the nose.

Description: During what month and year did [Fill: he/she] receive [Fill: his/her] most recent seasonal flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
999999	Refused	6	1.01	1.35
BLANK	Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE < 6 months; or Module 25.01, FLUSHCH2, is coded 2, 7, 9, or Missing	6,461		
HIDDEN	Data not displayed	589	98.99	98.65

Location of last HIV test

Module: 26.1 HIV/AIDS

Type: Num

Column: 417-418

SAS Variable Name: WHRTST8

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing	7,056		

Was your last HIV test a rapid test?

Module: 26.2 HIV/AIDS

Type: Num

Column: 419

SAS Variable Name: HIVRDTST

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing; or Section 18.02, HIVTSTD3, not within the last 12 months	7,056		

How often get emotional support needed

Module: 27.1 Emotional Support and Life Satisfaction

Type: Num

Column: 420

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Satisfaction with life

Module: 27.2 Emotional Support and Life Satisfaction

Type: Num

Column: 421

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	7,056		

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Type: Num

Column: 422

SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Not asked or Missing	7,055		

Asthma Follow-Up call back responded selected

Followup: 1.2 Asthma Follow-up Call Back

Type: Num

Column: 423

SAS Variable Name: ADLTCHLD

Prologue:

Description: Which household member was selected to be the focus of the callback.

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No selection	10	90.91	95.63
2	Child	1	9.09	4.37
BLANK	Not asked or Missing	7,045		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Correct Phone Number?

CellPhone: 1.1 Cell Phone Introduction

Type: Num

Column: 424

SAS Variable Name: CTELCNUM1

Prologue: Variabe only on the cell phone survey

Description: Is this (phone number) ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CELLFON2	1,580	100.00	100.00
BLANK	Not asked or Missing	5,476		

Is this a cellular telephone?

CellPhone: 1.2 Cell Phone Introduction

Type: Num

Column: 425

SAS Variable Name: CELLFON2

Prologue:

Description: Is this a cellular telephone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CADULT	1,580	100.00	100.00
BLANK	Not asked or Missing	5,476		

Are you 18 years of age or older?

CellPhone: 1.3 Cell Phone Introduction

Type: Num

Column: 426

SAS Variable Name: CADULT

Prologue: Variabe only on the cell phone survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent-Go to PVTRES2	814	51.52	59.60
2	Yes, Female Respondent-Go to PVTRES2	766	48.48	40.40
BLANK	Not asked or Missing	5,476		

Do you live in a private residence?

CellPhone: 1.4 Cell Phone Introduction

Type: Num

Column: 427

SAS Variable Name: PVTRES2

Prologue: Variabe only on the cell phone survey

Description: Do you live in a private residence, that is, not in a dormitory or other type of group living situation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CSTATE	1,575	99.68	99.41
2	No-Go to CSTATE	5	0.32	0.59
BLANK	Not asked or Missing	5,476		

Behavioral Risk Factor Surveillance System
TENNESSEE 2012 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Do you live in college housing?

CellPhone: 1.5 Cell Phone Introduction

Type: Num

Column: 428

SAS Variable Name: CCLGHOUS

Prologue:

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	100.00	100.00
BLANK	Missing	7,051		

Are you a resident of [STATE]?

CellPhone: 1.6 Cell Phone Introduction

Type: Num

Column: 429

SAS Variable Name: CSTATE

Prologue: Variabe only on the cell phone survey

Description: Are you a resident of [STATE]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to LANDLINE	1,448	91.65	92.04
2	No-Go to RSPSTATE	132	8.35	7.96
BLANK	Not asked or Missing	5,476		

In what state do you live?

CellPhone: 1.7 Cell Phone Introduction

Type: Num

Column: 430-431

SAS Variable Name: RSPSTATE

Prologue: Variabe only on the cell phone survey

Description: In what state do you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
47	Tennessee	132	100.00	100.00
BLANK	Not asked or Missing	6,924		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Do you also have a landline telephone?

CellPhone: 1.8 Cell Phone Introduction

Type: Num

Column: 432

SAS Variable Name: LANDLINE

Prologue: Variabe only on the cell phone survey

Description: Do you also have a landline telephone in your home that is used to make and receive calls?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	270	17.09	17.13
2	No-Go to Survey Introduction	1,310	82.91	82.87
BLANK	Not asked or Missing	5,476		

What percent of your calls are received on your cell phone?

CellPhone: 1.9 Cell Phone Introduction

Type: Num

Column: 433-435

SAS Variable Name: PCTCELL

Prologue: Variabe only on the cell phone survey

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Enter Percent (1 to 100)	268	99.26	99.15
999	Refused	2	0.74	0.85
BLANK	Not asked or Missing	6,786		

State Added Questions

State: 1.1 StateQuestions

Type: Char

Column: 451-700

SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 821-822

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	Only Version Landline	5,476	77.61	58.05
20	Only Version Cell Phone	1,580	22.39	41.95

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 823-824

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	7,054	99.97	99.84
2	Spanish	2	0.03	0.16

Cell Phone Pilot County Name

State: 1.1 Cell Phone Pilot II

Type: Char

Column: 835-879

SAS Variable Name: CPCOUNTY

Prologue:

Description: Cell Phone Pilot County Name

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		7,056	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.1 Weighting Variables

Type: Char

Column: 880-884

SAS Variable Name: _MSACODE

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 885

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	2,167	39.57	35.10
2	Outside the center city of an MSA but inside the county containing the center city	684	12.49	12.87
3	Inside a suburban county of the MSA	758	13.84	20.80
5	Not in an MSA	1,867	34.09	31.23
BLANK	GU, PR, VI	1,580		

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 886-890

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 891-900

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Raw weighting factor

Weighting: 1.5 Weighting Variables

Type: Num

Column: 901-910

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Design weight

Weighting: 1.6 Weighting Variables

Type: Num

Column: 911-920

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables

Type: Num

Column: 921-930

SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPNPH, maximum of 3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 931-940

SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Region

Weighting: 1.9 Weighting Variables

Type: Num

Column: 941-942

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Age value used to determine age groups

Weighting: 1.10 Weighting Variables

Type: Num

Column: 943-944

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	301	4.27	12.48
25 - 34	Age 25 to 34	644	9.13	16.63
35 - 44	Age 35 to 44	828	11.73	16.96
45 - 54	Age 45 to 54	1,267	17.96	18.33
55 - 64	Age 55 to 64	1,645	23.31	16.66
65 - 99	Age 65 or older	2,371	33.60	18.94

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed race/ethnicity value

Weighting: 1.11 Weighting Variables

Type: Num

Column: 945-946

SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, Non-Hispanic	5,849	82.89	77.26
2	Black, Non-Hispanic	970	13.75	15.63
3	Asian, Non-Hispanic	29	0.41	1.07
4	American Indian/Alaskan Native, Non-Hispanic	29	0.41	0.67
5	Hispanic	70	0.99	2.59
6	Other race, Non-Hispanic	109	1.54	2.79

Imputed number of phones

Weighting: 1.12 Weighting Variables

Type: Num

Column: 947

SAS Variable Name: _IMPMPH

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	5,370	98.06	98.81
2		92	1.68	1.07
3		14	0.26	0.12
BLANK		1,580		

Imputed County

Weighting: 1.13 Weighting Variables

Type: Num

Column: 948-950

SAS Variable Name: _IMPCTY

Prologue:

Description: Imputed County

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
TENNESSEE 2012 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed Education Level

Weighting: 1.14 Weighting Variables

Type: Num

Column: 951

SAS Variable Name: _IMPEDUC

Prologue:

Description: Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an education level.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	13	0.18	0.41
2	Grades 1 through 8 (Elementary)	328	4.65	4.05
3	Grades 9 through 11 (Some high school)	587	8.32	12.31
4	Grade 12 or GED (High school graduate)	2,354	33.36	33.55
5	College 1 year to 3 years (Some college or technical school)	1,930	27.35	28.56
6	College 4 years or more (College graduate)	1,844	26.13	21.13

Imputed Marital Status

Weighting: 1.15 Weighting Variables

Type: Num

Column: 952

SAS Variable Name: _IMPMRTL

Prologue:

Description: Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a marital status.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	3,444	48.81	51.66
2	Divorced	1,229	17.42	12.04
3	Widowed	1,167	16.54	7.72
4	Separated	190	2.69	2.67
5	Never married	959	13.59	24.01
6	A member of an unmarried couple	67	0.95	1.90

Behavioral Risk Factor Surveillance System
TENNESSEE 2012 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed Own or Rent Home

Weighting: 1.16 Weighting Variables

Type: Num

Column: 953

SAS Variable Name: _IMPHOME

Prologue:

Description: Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a tenure.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	5,165	73.20	72.29
2	Rent	1,467	20.79	20.70
3	Other arrangement	424	6.01	7.01

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Original state that collected the cell phone data

Weighting: 1.17 Weighting Variables

Type: Num

Column: 954-955

SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		4	0.06	0.10
4		5	0.07	0.10
5		2	0.03	0.03
6		3	0.04	0.07
8		3	0.04	0.08
10		5	0.07	0.14
15		6	0.09	0.17
17		2	0.03	0.06
18		4	0.06	0.08
19		2	0.03	0.04
20		4	0.06	0.11
21		14	0.20	0.35
22		2	0.03	0.06
23		2	0.03	0.16
24		1	0.01	0.01
25		4	0.06	0.07
26		3	0.04	0.09
28		12	0.17	0.30
29		2	0.03	0.03
30		6	0.09	0.13
31		3	0.04	0.05
33		4	0.06	0.09
34		1	0.01	0.02
35		1	0.01	0.03
37		6	0.09	0.26
39		7	0.10	0.14
40		3	0.04	0.05
42		5	0.07	0.15
44		1	0.01	0.01
45		5	0.07	0.14
47		6,924	98.13	96.66
48		4	0.06	0.13
49		3	0.04	0.06
51		1	0.01	0.02
53		2	0.03	0.02

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line First Margin (Age-Gender)

Land-Line Raking: 1.1 Weighting Variables

Type: Num

Column: 956-958

SAS Variable Name: _MRG01

Prologue:

Description: Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	5,476	100.00	100.00
BLANK	Missing	1,580		

Land-Line Second Margin (Race/Ethnicity)

Land-Line Raking: 1.2 Weighting Variables

Type: Num

Column: 959-961

SAS Variable Name: _MRG02

Prologue:

Description: Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	5,476	100.00	100.00
BLANK	Missing	1,580		

Land-Line Third Margin (Education)

Land-Line Raking: 1.3 Weighting Variables

Type: Num

Column: 962-964

SAS Variable Name: _MRG03

Prologue:

Description: Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	791	14.44	18.34
2	HS Grad	1,844	33.67	33.04
3	Some College	1,445	26.39	26.80
4	College Grad	1,396	25.49	21.83
BLANK	Missing	1,580		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Fourth Margin (Marital Status)

Land-Line Raking: 1.4 Weighting Variables

Type: Num

Column: 965-967

SAS Variable Name: _MRG04

Prologue:

Description: Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,725	49.76	60.48
2	Never married, member unmarried couple	546	9.97	14.40
3	Divorced, Widowed, Separated	2,205	40.27	25.12
BLANK	Missing	1,580		

Land-Line Fifth Margin (Home Ownership)

Land-Line Raking: 1.5 Weighting Variables

Type: Num

Column: 968-970

SAS Variable Name: _MRG05

Prologue:

Description: Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	5,476	100.00	100.00
BLANK	Missing	1,580		

Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Raking: 1.6 Weighting Variables

Type: Num

Column: 971-973

SAS Variable Name: _MRG06

Prologue:

Description: Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	5,476	100.00	100.00
BLANK	Missing	1,580		

Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Raking: 1.7 Weighting Variables

Type: Num

Column: 974-976

SAS Variable Name: _MRG07

Prologue:

Description: Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	5,476	100.00	100.00
BLANK	Missing	1,580		

Land-Line Eighth Margin (Regions)

Land-Line Raking: 1.8 Weighting Variables

Type: Num

Column: 977-979

SAS Variable Name: _MRG08

Prologue:

Description: Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Land-Line Ninth Margin (Regions-Age)

Land-Line Raking: 1.9 Weighting Variables

Type: Num

Column: 980-982

SAS Variable Name: _MRG09

Prologue:

Description: Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Land-Line Tenth Margin (Regions-Gender)

Land-Line Raking: 1.10 Weighting Variables

Type: Num

Column: 983-985

SAS Variable Name: _MRG10

Prologue:

Description: Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 986-988

SAS Variable Name: _MRG11

Prologue:

Description: Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Final weight: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 989-998

SAS Variable Name: _LANDWT

Prologue:

Description: Final weight assigned to each respondent: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 1 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 999-1001

SAS Variable Name: _MRG01V1

Prologue:

Description: Version 1 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1002-1004

SAS Variable Name: _MRG02V1

Prologue:

Description: Version 1 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables **Type:** Num
Column: 1005-1007 **SAS Variable Name:** _MRG03V1

Prologue:

Description: Version 1 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables **Type:** Num
Column: 1008-1010 **SAS Variable Name:** _MRG04V1

Prologue:

Description: Version 1 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables **Type:** Num
Column: 1011-1013 **SAS Variable Name:** _MRG05V1

Prologue:

Description: Version 1 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables **Type:** Num
Column: 1014-1016 **SAS Variable Name:** _MRG06V1

Prologue:

Description: Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables **Type:** Num
Column: 1017-1019 **SAS Variable Name:** _MRG07V1

Prologue:

Description: Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables **Type:** Num
Column: 1020-1022 **SAS Variable Name:** _MRG08V1

Prologue:

Description: Version 1 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables **Type:** Num
Column: 1023-1025 **SAS Variable Name:** _MRG09V1

Prologue:

Description: Version 1 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables **Type:** Num
Column: 1026-1028 **SAS Variable Name:** _MRG10V1

Prologue:

Description: Version 1 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables **Type:** Num
Column: 1029-1031 **SAS Variable Name:** _MRG11V1

Prologue:

Description: Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Final weight questionnaire version 1: Land-line data only

Land-LineRaking: 1.12 Weighting Variables **Type:** Num
Column: 1032-1041 **SAS Variable Name:** _LNDWTV1

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 2 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables **Type:** Num
Column: 1042-1044 **SAS Variable Name:** _MRG01V2

Prologue:

Description: Version 2 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables **Type:** Num
Column: 1045-1047 **SAS Variable Name:** _MRG02V2

Prologue:

Description: Version 2 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1048-1050

SAS Variable Name: _MRG03V2

Prologue:

Description: Version 2 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1051-1053

SAS Variable Name: _MRG04V2

Prologue:

Description: Version 2 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1054-1056

SAS Variable Name: _MRG05V2

Prologue:

Description: Version 2 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1057-1059

SAS Variable Name: _MRG06V2

Prologue:

Description: Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables **Type:** Num
Column: 1060-1062 **SAS Variable Name:** _MRG07V2

Prologue:

Description: Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables **Type:** Num
Column: 1063-1065 **SAS Variable Name:** _MRG08V2

Prologue:

Description: Version 2 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables **Type:** Num
Column: 1066-1068 **SAS Variable Name:** _MRG09V2

Prologue:

Description: Version 2 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables **Type:** Num
Column: 1069-1071 **SAS Variable Name:** _MRG10V2

Prologue:

Description: Version 2 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables **Type:** Num
Column: 1072-1074 **SAS Variable Name:** _MRG11V2
Prologue:
Description: Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Final weight questionnaire version 2: Land-line data only

Land-LineRaking: 1.12 Weighting Variables **Type:** Num
Column: 1075-1084 **SAS Variable Name:** _LNDWTV2
Prologue:
Description: Final weight assigned to each respondent questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 3 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables **Type:** Num
Column: 1085-1087 **SAS Variable Name:** _MRG01V3
Prologue:
Description: Version 3 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables **Type:** Num
Column: 1088-1090 **SAS Variable Name:** _MRG02V3
Prologue:
Description: Version 3 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1091-1093

SAS Variable Name: _MRG03V3

Prologue:

Description: Version 3 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1094-1096

SAS Variable Name: _MRG04V3

Prologue:

Description: Version 3 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1097-1099

SAS Variable Name: _MRG05V3

Prologue:

Description: Version 3 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1100-1102

SAS Variable Name: _MRG06V3

Prologue:

Description: Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables **Type:** Num
Column: 1103-1105 **SAS Variable Name:** _MRG07V3

Prologue:

Description: Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables **Type:** Num
Column: 1106-1108 **SAS Variable Name:** _MRG08V3

Prologue:

Description: Version 3 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables **Type:** Num
Column: 1109-1111 **SAS Variable Name:** _MRG09V3

Prologue:

Description: Version 3 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables **Type:** Num
Column: 1112-1114 **SAS Variable Name:** _MRG10V3

Prologue:

Description: Version 3 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables **Type:** Num
Column: 1115-1117 **SAS Variable Name:** _MRG11V3

Prologue:

Description: Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Final weight questionnaire version 3: Land-line data only

Land-LineRaking: 1.12 Weighting Variables **Type:** Num
Column: 1118-1127 **SAS Variable Name:** _LNDWTV3

Prologue:

Description: Final weight assigned to each respondent questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

CRACE with trailing 7, 8, 9s removed

ChildDemographics: 1.01 Child Demographic Variables **Type:** Char
Column: 1128-1133 **SAS Variable Name:** CRACEORG

Prologue:

Description: CRACE with trailing 7, 8, 9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.07	0.21
9	Refused	281	18.41	20.30
BLANK	Missing	5,530		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,244	81.52	79.49

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

CRACEORG with responses in ascending order

ChildDemographics: 1.02 Child Demographic Variables

Type: Num

Column: 1134-1139

SAS Variable Name: CRACEASC

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.07	0.21
9	Refused	281	18.41	20.30
BLANK	Missing	5,530		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,244	81.52	79.49

Child Non-Hispanic Race including Multiracial

ChildDemographics: 1.03 Child Demographic Variables

Type: Num

Column: 1140-1141

SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: CRACEASC = 1	949	62.19	60.33
2	Black or African American only Notes: CRACEASC =2	223	14.61	13.95
3	Asian Only Notes: CRACEASC = 3	9	0.59	0.93
4	Native Hawaiian or other Pacific Islander only Notes: CRACEASC = 4	1	0.07	0.10
5	American Indian or Alaskan Native only Notes: CRACEASC = 5	4	0.26	0.39
6	Other race only Notes: CRACEASC = 6	36	2.36	2.58
7	Multiracial Notes: CRACEASC >= 12	22	1.44	1.21
77	Don't know/Not sure Notes: CRACEASC = 7	1	0.07	0.21
99	Refused Notes: CRACEASC = 9	281	18.41	20.30
BLANK	Missing Notes: CRACEASC = Missing	5,530		

Behavioral Risk Factor Surveillance System
TENNESSEE 2012 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Raw child weighting factor

ChildWeighting 1.01 Child Weighting Variables

Type: Num

:

Column: 1142-1151

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Child design weight

ChildWeighting 1.02 Child Weighting Variables

Type: Num

:

Column: 1152-1161

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Age

ChildWeighting : 1.03 Child Weighting Variables

Type: Num

Column: 1162-1164

SAS Variable Name: CHILDAGE

Prologue:

Description: Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	52	3.41	4.23
12 - 23	1 Year old	53	3.47	4.40
24 - 35	2 Years old	52	3.41	4.27
36 - 47	3 Years old	63	4.13	5.43
48 - 59	4 Years old	52	3.41	3.56
60 - 71	5 Years old	62	4.06	4.11
72 - 83	6 Years old	75	4.91	5.35
84 - 95	7 Years old	67	4.39	4.26
96 - 107	8 Years old	64	4.19	3.85
108 - 119	9 Years old	72	4.72	3.77
120 - 131	10 Years old	50	3.28	2.23
132 - 143	11 Years old	59	3.87	3.40
144 - 155	12 Years old	73	4.78	3.84
156 - 167	13 Years old	70	4.59	3.98
168 - 179	14 Years old	71	4.65	3.73
180 - 191	15 Years old	87	5.70	4.99
192 - 203	16 Years old	75	4.91	4.61
204 - 215	17 Years old	52	3.41	3.50
777	Don't know / Not sure	63	4.13	4.69
999	Refused	314	20.58	21.79
BLANK	Not asked or Missing	5,530		

Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables

Type: Num

Column: 1165-1167

SAS Variable Name: _CMRG01

Prologue:

Description: Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	834	100.00	100.00
BLANK	Missing	6,222		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables

Type: Num

Column: 1168-1170

SAS Variable Name: _CMRG02

Prologue:

Description: Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	834	100.00	100.00
BLANK	Missing	6,222		

Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables

Type: Num

Column: 1171-1173

SAS Variable Name: _CMRG03

Prologue:

Description: Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	834	100.00	100.00
BLANK	Missing	6,222		

Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables

Type: Num

Column: 1174-1176

SAS Variable Name: _CMRG04

Prologue:

Description: Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	834	100.00	100.00
BLANK	Missing	6,222		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final child weight: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables

Type: Num

Column: 1177-1186

SAS Variable Name: _CLANDWT

Prologue:

Description: Final child weight: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 1 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables

Type: Num

Column: 1187-1189

SAS Variable Name: _CMG01V1

Prologue:

Description: Version 1 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables

Type: Num

Column: 1190-1192

SAS Variable Name: _CMG02V1

Prologue:

Description: Version 1 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables

Type: Num

Column: 1193-1195

SAS Variable Name: _CMG03V1

Prologue:

Description: Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables **Type:** Num
Column: 1196-1198 **SAS Variable Name:** _CMG04V1
Prologue:
Description: Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Final child weight questionnaire version 1: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables **Type:** Num
Column: 1199-1208 **SAS Variable Name:** _CLDWTV1
Prologue:
Description: Final child weight questionnaire version 1: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 2 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables **Type:** Num
Column: 1209-1211 **SAS Variable Name:** _CMG01V2
Prologue:
Description: Version 2 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables **Type:** Num
Column: 1212-1214 **SAS Variable Name:** _CMG02V2
Prologue:
Description: Version 2 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables **Type:** Num
Column: 1215-1217 **SAS Variable Name:** _CMG03V2
Prologue:
Description: Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables **Type:** Num
Column: 1218-1220 **SAS Variable Name:** _CMG04V2
Prologue:
Description: Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Final child weight questionnaire version 2: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables **Type:** Num
Column: 1221-1230 **SAS Variable Name:** _CLDWTV2
Prologue:
Description: Final child weight questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 3 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables **Type:** Num
Column: 1231-1233 **SAS Variable Name:** _CMG01V3
Prologue:
Description: Version 3 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables **Type:** Num
Column: 1234-1236 **SAS Variable Name:** _CMG02V3
Prologue:
Description: Version 3 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables **Type:** Num
Column: 1237-1239 **SAS Variable Name:** _CMG03V3
Prologue:
Description: Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables **Type:** Num
Column: 1240-1242 **SAS Variable Name:** _CMG04V3
Prologue:
Description: Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Final child weight questionnaire version 3: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables **Type:** Num
Column: 1243-1252 **SAS Variable Name:** _CLDWTV3
Prologue:
Description: Final child weight questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1253-1255

SAS Variable Name: _CLCPM01

Prologue:

Description: Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	1,255	100.00	100.00
BLANK	Missing	5,801		

Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandCellRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1256-1258

SAS Variable Name: _CLCPM02

Prologue:

Description: Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	1,255	100.00	100.00
BLANK	Missing	5,801		

Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandCellRaking: 1.3 Child Weighting Variables

Type: Num

Column: 1259-1261

SAS Variable Name: _CLCPM03

Prologue:

Description: Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	1,255	100.00	100.00
BLANK	Missing	5,801		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables
ellRaking:

Type: Num

Column: 1262-1264

SAS Variable Name: _CLCPM04

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,255	100.00	100.00
BLANK	Missing	5,801		

Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1265-1267

SAS Variable Name: _CLCPM05

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Cell Phone Only	1,255	100.00	100.00
BLANK	Missing	5,801		

Final child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1268-1277

SAS Variable Name: _CLLCPWT

Prologue:

Description: Final child weight: Land-line and Cell-Phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1278-1280 **SAS Variable Name:** _CLCM1V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1281-1283 **SAS Variable Name:** _CLCM2V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1284-1286 **SAS Variable Name:** _CLCM3V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1287-1289 **SAS Variable Name:** _CLCM4V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandCellRaking: 1.5 Child Weighting Variables **Type:** Num
Column: 1290-1292 **SAS Variable Name:** _CLCM5V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables **Type:** Num
Column: 1293-1302 **SAS Variable Name:** _CLCWTV1

Prologue:

Description: Version 1 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables **Type:** Num
Column: 1303-1305 **SAS Variable Name:** _CLCM1V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandCellRaking: 1.2 Child Weighting Variables **Type:** Num
Column: 1306-1308 **SAS Variable Name:** _CLCM2V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1309-1311 **SAS Variable Name:** _CLCM3V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1312-1314 **SAS Variable Name:** _CLCM4V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1315-1317 **SAS Variable Name:** _CLCM5V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1318-1327 **SAS Variable Name:** _CLCWTV2

Prologue:

Description: Version 2 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1328-1330 **SAS Variable Name:** _CLCM1V3
Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1331-1333 **SAS Variable Name:** _CLCM2V3
Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1334-1336 **SAS Variable Name:** _CLCM3V3
Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1337-1339 **SAS Variable Name:** _CLCM4V3
Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandCellRaking: 1.5 Child Weighting Variables **Type:** Num
Column: 1340-1342 **SAS Variable Name:** _CLCM5V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables **Type:** Num
Column: 1343-1352 **SAS Variable Name:** _CLCWTV3

Prologue:

Description: Version 3 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables **Type:** Num
Column: 1353-1362 **SAS Variable Name:** _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPNPB).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Household design weight

HouseholdWeighting: 1.2 Household Weighting Variables

Type: Num

Column: 1363-1372

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Number of Persons in Household

HouseholdWeighting: 1.3 Household Weighting Variables

Type: Num

Column: 1373-1375

SAS Variable Name: NPHH

Prologue:

Description: Number of Persons in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Person	2,127	38.84	20.32
2	2 People	2,078	37.95	40.68
3	3 People	621	11.34	16.58
4 - 99	4+ People	650	11.87	22.42
BLANK		1,580		

Number of Adults in Household

HouseholdWeighting: 1.4 Household Weighting Variables

Type: Num

Column: 1376-1378

SAS Variable Name: NAHH

Prologue:

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Adult	2,375	43.37	23.38
2	2 Adults	2,518	45.98	55.27
3 - 99	3+ Adults	583	10.65	21.35
BLANK		1,580		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Children in Household

HouseholdWeighting: 1.5 Household Weighting Variables

Type: Num

Column: 1379-1381

SAS Variable Name: NCHH

Prologue:

Description: Number of Children in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Children	4,477	81.76	73.19
1	1 Child	457	8.35	11.96
2 - 99	2+ Children	542	9.90	14.86
BLANK		1,580		

Final household weight: Land-line data only

HouseholdWeighting: 1.6 Household Weighting Variables

Type: Num

Column: 1382-1391

SAS Variable Name: _HHOLDWT

Prologue:

Description: Final weight assigned to each household: Land-line data only (Raking derived household weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Original State and Original Sequence Number

LandandCellRanking: 1.1 Weighting Variables

Type: Num

Column: 1392-1401

SAS Variable Name: ORGSEQNO

Prologue:

Description: Original State and Original Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Dual Phone Use Categories

LandandCellRanking: 1.2 Weighting Variables

Type: Num

Column: 1402

SAS Variable Name: _DUALUSE

Prologue:

Description: Dual Phone Use Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Land Line: Cell Phone Mostly	534	7.57	5.86
2	Cell Phone: Cell Phone Mostly	209	2.96	5.48
9	No Dual Phone Use	6,313	89.47	88.66

Dual Phone Use Correction Factor

LandandCellRanking: 1.3 Weighting Variables

Type: Num

Column: 1403-1412

SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

Value	Value Label	Frequency	Percentage	Weighted Percentage
0.3724		209	28.13	48.34
0.6275		534	71.87	51.66
BLANK		6,313		

Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.4 Weighting Variables

Type: Num

Column: 1413-1415

SAS Variable Name: _LLCPM01

Prologue:

Description: Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRa 1.5 Weighting Variables
 king:

Type: Num

Column: 1416-1418

SAS Variable Name: _LLCPM02

Prologue:

Description: Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	7,056	100.00	100.00

Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRa 1.6 Weighting Variables
 king:

Type: Num

Column: 1419-1421

SAS Variable Name: _LLCPM03

Prologue:

Description: Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	928	13.15	16.76
2	HS Grad	2,354	33.36	33.55
3	Some College	1,930	27.35	28.56
4	College Grad	1,844	26.13	21.13

Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa 1.7 Weighting Variables
 king:

Type: Num

Column: 1422-1424

SAS Variable Name: _LLCPM04

Prologue:

Description: Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	3,444	48.81	51.66
2	Never married, member unmarried couple	1,026	14.54	25.91
3	Divorced, Widowed, Separated	2,586	36.65	22.43

Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRanking: 1.8 Weighting Variables

Type: Num

Column: 1425-1427

SAS Variable Name: _LLCPM05

Prologue:

Description: Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	7,056	100.00	100.00

Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRanking: 1.9 Weighting Variables

Type: Num

Column: 1428-1430

SAS Variable Name: _LLCPM06

Prologue:

Description: Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	7,056	100.00	100.00

Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.10 Weighting Variables

Type: Num

Column: 1431-1433

SAS Variable Name: _LLCPM07

Prologue:

Description: Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	7,056	100.00	100.00

Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.11 Weighting Variables

Type: Num

Column: 1434-1436

SAS Variable Name: _LLCPM08

Prologue:

Description: Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa king:	1.12 Weighting Variables		Type: Num
Column:	1437-1439		SAS Variable Name: _LLCPM09
Prologue:			
Description:	Combined Land-Line and Cell-Phone Ninth Margin (Regions)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa king:	1.13 Weighting Variables		Type: Num
Column:	1440-1442		SAS Variable Name: _LLCPM10
Prologue:			
Description:	Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa king:	1.14 Weighting Variables		Type: Num
Column:	1443-1445		SAS Variable Name: _LLCPM11
Prologue:			
Description:	Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRa king:	1.15 Weighting Variables		Type: Num
Column:	1446-1448		SAS Variable Name: _LLCPM12
Prologue:			
Description:	Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final weight: Land-line and cell-phone data

LandandCellRanking: 1.16 Weighting Variables **Type:** Num
Column: 1449-1458 **SAS Variable Name:** _LLCPWT

Prologue:

Description: Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	7,056	100.00	100.00

Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.2 Weighting Variables **Type:** Num
Column: 1459-1461 **SAS Variable Name:** _LCM01V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.3 Weighting Variables **Type:** Num
Column: 1462-1464 **SAS Variable Name:** _LCM02V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.4 Weighting Variables **Type:** Num
Column: 1465-1467 **SAS Variable Name:** _LCM03V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRanking: 1.5 Weighting Variables **Type:** Num
Column: 1468-1470 **SAS Variable Name:** _LCM04V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRanking: 1.6 Weighting Variables **Type:** Num
Column: 1471-1473 **SAS Variable Name:** _LCM05V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRanking: 1.7 Weighting Variables **Type:** Num
Column: 1474-1476 **SAS Variable Name:** _LCM06V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.8 Weighting Variables **Type:** Num
Column: 1477-1479 **SAS Variable Name:** _LCM07V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRa king:	1.9 Weighting Variables		Type: Num
Column:	1480-1482	SAS Variable Name: _LCM08V1	
Prologue:			
Description:	Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa king:	1.10 Weighting Variables		Type: Num
Column:	1483-1485	SAS Variable Name: _LCM09V1	
Prologue:			
Description:	Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa king:	1.11 Weighting Variables		Type: Num
Column:	1486-1488	SAS Variable Name: _LCM10V1	
Prologue:			
Description:	Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa king:	1.12 Weighting Variables		Type: Num
Column:	1489-1491	SAS Variable Name: _LCM11V1	
Prologue:			
Description:	Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.13 Weighting Variables **Type:** Num
Column: 1492-1494 **SAS Variable Name:** _LCM12V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 1 weight: Land-line and cell-phone data

LandandCellRanking: 1.14 Weighting Variables **Type:** Num
Column: 1495-1504 **SAS Variable Name:** _LCPWTV1

Prologue:

Description: Version 1 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.2 Weighting Variables **Type:** Num
Column: 1505-1507 **SAS Variable Name:** _LCM01V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.3 Weighting Variables **Type:** Num
Column: 1508-1510 **SAS Variable Name:** _LCM02V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRa king:	1.4 Weighting Variables		Type: Num
Column:	1511-1513	SAS Variable Name:	_LCM03V2
Prologue:			
Description:	Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa king:	1.5 Weighting Variables		Type: Num
Column:	1514-1516	SAS Variable Name:	_LCM04V2
Prologue:			
Description:	Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa king:	1.6 Weighting Variables		Type: Num
Column:	1517-1519	SAS Variable Name:	_LCM05V2
Prologue:			
Description:	Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRa king:	1.7 Weighting Variables		Type: Num
Column:	1520-1522	SAS Variable Name:	_LCM06V2
Prologue:			
Description:	Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	7,056	Weighted Percentage

Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.8 Weighting Variables **Type:** Num
Column: 1523-1525 **SAS Variable Name:** _LCM07V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.9 Weighting Variables **Type:** Num
Column: 1526-1528 **SAS Variable Name:** _LCM08V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRanking: 1.10 Weighting Variables **Type:** Num
Column: 1529-1531 **SAS Variable Name:** _LCM09V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRanking: 1.11 Weighting Variables **Type:** Num
Column: 1532-1534 **SAS Variable Name:** _LCM10V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRanking: 1.12 Weighting Variables **Type:** Num
Column: 1535-1537 **SAS Variable Name:** _LCM11V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.13 Weighting Variables **Type:** Num
Column: 1538-1540 **SAS Variable Name:** _LCM12V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 2 weight: Land-line and cell-phone data

LandandCellRanking: 1.14 Weighting Variables **Type:** Num
Column: 1541-1550 **SAS Variable Name:** _LCPWTV2

Prologue:

Description: Version 2 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Version 3 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.2 Weighting Variables **Type:** Num
Column: 1551-1553 **SAS Variable Name:** _LCM01V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.3 Weighting Variables **Type:** Num
Column: 1554-1556 **SAS Variable Name:** _LCM02V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.4 Weighting Variables **Type:** Num
Column: 1557-1559 **SAS Variable Name:** _LCM03V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRanking: 1.5 Weighting Variables **Type:** Num
Column: 1560-1562 **SAS Variable Name:** _LCM04V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRanking: 1.6 Weighting Variables **Type:** Num
Column: 1563-1565 **SAS Variable Name:** _LCM05V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRanking: 1.7 Weighting Variables **Type:** Num
Column: 1566-1568 **SAS Variable Name:** _LCM06V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.8 Weighting Variables **Type:** Num
Column: 1569-1571 **SAS Variable Name:** _LCM07V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.9 Weighting Variables **Type:** Num
Column: 1572-1574 **SAS Variable Name:** _LCM08V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRanking: 1.10 Weighting Variables **Type:** Num
Column: 1575-1577 **SAS Variable Name:** _LCM09V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRanking: 1.11 Weighting Variables **Type:** Num
Column: 1578-1580 **SAS Variable Name:** _LCM10V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRanking: 1.12 Weighting Variables **Type:** Num
Column: 1581-1583 **SAS Variable Name:** _LCM11V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.13 Weighting Variables **Type:** Num
Column: 1584-1586 **SAS Variable Name:** _LCM12V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	7,056		

Version 3 weight: Land-line and cell-phone data

LandandCellRanking: 1.14 Weighting Variables **Type:** Num
Column: 1587-1596 **SAS Variable Name:** _LCPWTV3

Prologue:

Description: Version 3 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,056	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adults with good or better health

Calculated Variables: 1.1 Calculated Variables

Type: Num

Column: 1597

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	5,177	73.37	78.74
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	1,859	26.35	21.06
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	20	0.28	0.20

Respondents aged 18-64 with health care coverage

Calculated Variables: 3.1 Calculated Variables

Type: Num

Column: 1598

SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 who have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1	3,731	52.88	62.56
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2	885	12.54	17.57
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing	2,440	34.58	19.87

Leisure Time Physical Activity Calculated Variable

Calculated Variables: 4.1 Calculated Variables

Type: Num

Column: 1599

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults who reported doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	4,756	67.40	71.32
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	2,292	32.48	28.59
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	8	0.11	0.10

Lifetime Asthma Calculated Variable

Calculated Variables: 5.1 Calculated Variables

Type: Num

Column: 1600

SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2	6,300	89.29	88.81
2	Yes Notes: ASTHMA3 = 1	736	10.43	11.00
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing	20	0.28	0.19

Current Asthma Calculated Variable

Calculated Variables: 5.2 Calculated Variables

Type: Num

Column: 1601

SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	6,473	91.74	91.88
2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	550	7.79	7.67
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	33	0.47	0.45

Computed Asthma Status

Calculated Variables: 5.3 Calculated Variables

Type: Num

Column: 1602

SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	550	7.79	7.67
2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	173	2.45	3.07
3	Never Notes: ASTHMA3 = 2	6,300	89.29	88.81
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	33	0.47	0.45

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondents diagnosed with arthritis

Calculated Variables: 5.4 Calculated Variables

Type: Num

Column: 1603

SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents who have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH3 = 1	2,761	39.27	29.77
2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	4,270	60.73	70.23
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	25		

Adults aged 18+ that have had permanent teeth extracted

Calculated Variables: 6.1 Oral Health

Type: Num

Column: 1604

SAS Variable Name: _EXTETH2

Prologue:

Description: Adults aged 18+ who have had permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: RMVTETH3=8	2,554	36.20	45.58
2	At risk Notes: RMVTETH=1 or 2 or 3	4,326	61.31	52.67
9	Don't know/Not Sure Or Refused/Missing Notes: RMVTETH3=7 or 9 or Missing	176	2.49	1.75

Adults aged 65+ who have had all their natural teeth extracted

Calculated Variables: 6.2 Oral Health

Type: Num

Column: 1605

SAS Variable Name: _ALTETH2

Prologue:

Description: Adults aged 65+ who have had all their natural teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: AGE>= 65 and RMVTETH3=1 or 2 or 8	1,701	69.77	69.33
2	Yes Notes: AGE>= 65 and RMVTETH3=3	575	23.58	22.89
9	Don't know/Not Sure Or Refused/Missing Notes: AGE>= 65 or =7 or 9 or Missing and RMVTETH3=7 or 9 or Missing	162	6.64	7.79
BLANK	Missing or Age Less Than 65 Notes: 18 <= AGE <= 64	4,618		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adults that have visited a dentist, dental hygienist or dental clinic within the past year

Calculated Variables: 6.3 Oral Health **Type:** Num
Column: 1606 **SAS Variable Name:** _DENVST2
Prologue:

Description: Adults who have visited a dentist, dental hygienist or dental clinic within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: LASTDEN3=1	4,208	59.64	60.44
2	No Notes: LASTDEN3=2 or 3 or 4	2,713	38.45	37.94
9	Don't know/Not Sure Or Refused/Missing Notes: LASTDEN3=7 or 9 or Missing	135	1.91	1.62

MRACE with trailing 7,8,9s removed calculated variable

Calculated Variables: 7.1 Calculated Race Variables **Type:** Char
Column: 1607-1612 **SAS Variable Name:** MRACEORG
Prologue:

Description: MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACE = 7	4	0.06	0.05
9	Refused Notes: MRACE = 9	50	0.71	0.68
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,002	99.23	99.27

MRACEORG with responses in ascending order calculated variable

Calculated Variables: 7.2 Calculated Race Variables **Type:** Num
Column: 1613-1618 **SAS Variable Name:** MRACEASC
Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACEORG = 7	4	0.06	0.05
9	Refused Notes: MRACEORG = 9	50	0.71	0.68
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	7,002	99.23	99.27

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Preferred Race

Calculated Variables: 7.3 Calculated Race Variables

Type: Num

Column: 1619-1620

SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	5,860	83.05	78.59
2	Black or African American Notes: MRACEASC = 2	1,000	14.17	16.36
3	Asian Notes: MRACEASC = 3	34	0.48	1.22
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	9	0.13	0.20
5	American Indian or Alaskan Native Notes: MRACEASC = 5	40	0.57	1.13
6	Other race Notes: MRACEASC = 6	58	0.82	1.74
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	1	0.01	0.02
77	Don't know/Not sure Notes: MRACEASC = 7	4	0.06	0.05
99	Refused Notes: MRACEASC = 9	50	0.71	0.68

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed non-Hispanic Race including Multiracial

Calculated Variables: 7.4 Calculated Race Variables

Type: Num

Column: 1621-1622

SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	5,834	82.68	77.85
2	Black or African American only Notes: MRACEASC = 2	973	13.79	15.75
3	Asian Only Notes: MRACEASC = 3	30	0.43	1.11
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	9	0.13	0.20
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	32	0.45	0.77
6	Other race only Notes: MRACEASC = 6	54	0.77	1.69
7	Multiracial Notes: MRACEASC >= 12	70	0.99	1.91
77	Don't know/Not sure Notes: MRACEASC = 7	4	0.06	0.05
99	Refused Notes: MRACEASC = 9	50	0.71	0.68

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Race-Ethnicity grouping

Calculated Variables: 7.5 Calculated Race Variables

Type: Num

Column: 1623

SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	5,796	82.14	76.54
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	968	13.72	15.62
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 4	28	0.40	1.04
4	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 5	9	0.13	0.20
5	American Indian or Alaskan Native only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6	29	0.41	0.67
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	32	0.45	0.77
7	Multiracial, non-Hispanic Notes: HISPANC2 = 1	68	0.96	1.82
8	Hispanic Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2	70	0.99	2.59
9	Don't know/Not sure/Refused Notes: HISPANC2 = Missing or _MRACE = Missing	56	0.79	0.75

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

Calculated Variables: 7.6 Calculated Race Variables

Type: Num

Column: 1624

SAS Variable Name: _RACEG2

Prologue:

Description: White non-Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	5,796	82.14	76.54
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	1,204	17.06	22.71
9	Don't know/Not sure/Refused Notes: RACE2 = 9	56	0.79	0.75

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Five level race/ethnicity category.

Calculated Variables: 7.7 Calculated Race Variables

Type: Num

Column: 1625

SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	5,796	82.14	76.54
2	Black only, Non-Hispanic Notes: RACE2 = 2	968	13.72	15.62
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	98	1.39	2.67
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	68	0.96	1.82
5	Hispanic Notes: RACE2 = 8	70	0.99	2.59
9	Don't know/Not sure/Refused Notes: RACE2 = 9	56	0.79	0.75

Computed race groups used for internet prevalence tables

Calculated Variables: 7.8 Calculated Race Variables

Type: Num

Column: 1626

SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	5,796	82.80	77.12
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	968	13.83	15.74
3	Hispanic Notes: _RACEGR2 = 5	70	1.00	2.61
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	98	1.40	2.69
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	68	0.97	1.84
BLANK	Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing	56		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed number of census race categories chosen

Calculated Variables: 7.9 Calculated Race Variables

Type: Num

Column: 1627

SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	108	1.53	2.42
1	1 category chosen Notes: MRACEASC had one race category	6,885	97.58	95.78
2	2 category chosen Notes: MRACEASC had two race categories	61	0.86	1.74
3	3 category chosen Notes: MRACEASC had three race categories	2	0.03	0.05

Computed number of census race categories chosen, collapsed

Calculated Variables: 7.10 Calculated Race Variables

Type: Num

Column: 1628

SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	6,885	99.09	98.16
2	Two or more categories chosen Notes: _CNRACE > 1	63	0.91	1.84
BLANK	_CNRACE = 0 or missing Notes: _CNRACE = 0	108		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported age in five-year age categories calculated variable

Calculated Variables: 7.11 Calculated Variables

Type: Num

Column: 1629-1630

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	301	4.27	12.48
2	Age 25 to 29 Notes: 25 <= AGE <= 29	305	4.32	8.19
3	Age 30 to 34 Notes: 30 <= AGE <= 34	338	4.79	8.42
4	Age 35 to 39 Notes: 35 <= AGE <= 39	350	4.96	7.14
5	Age 40 to 44 Notes: 40 <= AGE <= 44	460	6.52	9.34
6	Age 45 to 49 Notes: 45 <= AGE <= 49	525	7.44	7.70
7	Age 50 to 54 Notes: 50 <= AGE <= 54	741	10.50	10.60
8	Age 55 to 59 Notes: 55 <= AGE <= 59	733	10.39	7.74
9	Age 60 to 64 Notes: 60 <= AGE <= 64	865	12.26	8.62
10	Age 65 to 69 Notes: 65 <= AGE <= 69	746	10.57	6.42
11	Age 70 to 74 Notes: 70 <= AGE <= 74	594	8.42	4.73
12	Age 75 to 79 Notes: 75 <= AGE <= 79	504	7.14	4.19
13	Age 80 or older Notes: 80 <= AGE <= 99	527	7.47	3.60
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	67	0.95	0.84

Reported age in two age groups calculated variable

Calculated Variables: 7.12 Calculated Variables

Type: Num

Column: 1631

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	4,618	65.45	80.22
2	Age 65 or older Notes: 65 <= AGE <= 99	2,371	33.60	18.94
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	67	0.95	0.84

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed age in six groups

Calculated Variables: 7.13 Calculated Variables

Type: Num

Column: 1632

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	301	4.27	12.48
2	Age 25 to 34 Notes: 25 <= AGE <= 34	644	9.13	16.63
3	Age 35 to 44 Notes: 35 <= AGE <= 44	828	11.73	16.96
4	Age 45 to 54 Notes: 45 <= AGE <= 54	1,267	17.96	18.33
5	Age 55 to 64 Notes: 55 <= AGE <= 64	1,645	23.31	16.66
6	Age 65 or older Notes: AGE >= 65	2,371	33.60	18.94

Computed Height in Inches

Calculated Variables: 7.14 Calculated Variables

Type: Num

Column: 1633-1635

SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
36 - 95	Height in inches Notes: 0300 <= HEIGHT3 <= 0711 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	6,966	100.00	100.00
BLANK		90		

Computed Height in Meters

Calculated Variables: 7.15 Calculated Variables

Type: Num

Column: 1636-1638

SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
91 - 244	Height in meters [2 implied decimal places] Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric HEIGHT3 value multiplied by .0254)	6,968	100.00	100.00
BLANK		88		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Weight in Kilograms

Calculated Variables: 7.16 Calculated Variables

Type: Num

Column: 1639-1643

SAS Variable Name: WTKG3

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
2300 - 29500	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295 (non-metric WEIGHT2 value divided by 2.2046)	6,666	94.47	95.38
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing or not in accepted values	390	5.53	4.62

Computed body mass index

Calculated Variables: 7.17 Calculated Variables

Type: Num

Column: 1644-1647

SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9999	1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)	6,613	100.00	100.00
BLANK	Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999	443		

Computed body mass index categories

Calculated Variables: 7.18 Calculated Variables

Type: Num

Column: 1648

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Underweight Notes: _BMI5 < 1850 (_BMI5 has 2 implied decimal places)	131	1.98	1.95
2	Normal Weight Notes: 1850 <= _BMI5 < 2500	2,094	31.66	32.66
3	Overweight Notes: 2500 <= _BMI5 < 3000	2,297	34.73	34.24
4	Obese Notes: 30000 <= _BMI5 = 9999	2,091	31.62	31.14
BLANK	Don't know/Refused/Missing Notes: _BMI5 = 9999	443		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Overweight or obese calculated variable

Calculated Variables: 7.19 Calculated Variables

Type: Num

Column: 1649

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 1200 <= _BMI5 < 2500 (_BMI5 has 2 implied decimal places)	2,225	31.53	32.60
2	Yes Notes: 2500 <= _BMI5 < 9999	4,388	62.19	61.59
9	Don't know/Refused/Missing Notes: _BMI5 = 9999	443	6.28	5.80

Computed number of children in household

Calculated Variables: 7.20 Calculated Variables

Type: Num

Column: 1650

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	5,453	77.28	68.01
2	One child in household Notes: CHILDREN = 01	716	10.15	13.93
3	Two children in household Notes: CHILDREN = 02	532	7.54	10.60
4	Three children in household Notes: CHILDREN = 03	222	3.15	4.65
5	Four children in household Notes: CHILDREN = 04	62	0.88	1.63
6	Five or more children in household Notes: 05 <= CHILDREN < 88	36	0.51	0.72
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	35	0.50	0.46

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed level of education completed categories

Calculated Variables: 7.21 Calculated Variables

Type: Num

Column: 1651

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	925	13.11	16.67
2	Graduated High School Notes: EDUCA = 4	2,341	33.18	33.44
3	Attended College or Technical School Notes: EDUCA = 5	1,920	27.21	28.43
4	Graduated from College or Technical School Notes: EDUCA = 6	1,835	26.01	21.04
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	35	0.50	0.42

Computed income categories

Calculated Variables: 7.22 Calculated Variables

Type: Num

Column: 1652

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	887	12.57	10.98
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	1,306	18.51	18.37
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	689	9.76	9.67
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	762	10.80	12.04
5	\$50,000 or more Notes: INCOME2 = 7 or 8	1,666	23.61	26.71
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	1,746	24.74	22.23

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Smoking Status

Calculated Variables: 9.1 Calculated Variables

Type: Num

Column: 1653

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	1,125	15.94	18.16
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	356	5.05	5.88
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	1,813	25.69	23.38
4	Never smoked Notes: SMOKE100 = 2	3,486	49.40	49.27
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	276	3.91	3.31

Current Smoking Calculated Variable

Calculated Variables: 9.2 Calculated Variables

Type: Num

Column: 1654

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	5,299	75.10	72.65
2	Yes Notes: _SMOKER3 = 1 or 2	1,481	20.99	24.04
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	276	3.91	3.31

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Drink any alcoholic beverages in past 30 days

Calculated Variables: 10.1 Calculated Variables

Type: Num

Column: 1655

SAS Variable Name: DRNKANY5

Prologue:

Description: Adults who reported having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 1 <= ALCDAY5 <= 231	2,152	30.50	36.68
2	No Notes: ALCDAY5=888	4,536	64.29	58.31
7	Don't know/Not Sure Notes: ALCDAY5=777	93	1.32	1.71
9	Refused/Missing Notes: ALCDAY5=999, Missing	275	3.90	3.31

Computed drink-occasions-per-day

Calculated Variables: 10.2 Calculated Variables

Type: Num

Column: 1656-1658

SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY5 = 888	4,536	64.29	58.31
1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	2,152	30.50	36.68
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	368	5.22	5.01

Binge Drinking Calculated Variable

Calculated Variables: 10.3 Calculated Variables

Type: Num

Column: 1659

SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888	6,145	87.09	83.20
2	Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1	479	6.79	10.58
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing	432	6.12	6.22

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed number of drinks of alcohol beverages per day

Calculated Variables: 10.4 Calculated Variables

Type: Num

Column: 1660-1663

SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY5 = 888	4,536	64.29	58.31
1 - 9899	Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2	2,082	29.51	35.51
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	438	6.21	6.18

Computed total number drinks a month

Calculated Variables: 10.5 Calculated Variables

Type: Num

Column: 1664-1667

SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY4 = 0	4,536	64.29	58.31
1 - 9998	Number of Drinks Notes: _DRNKDY4 * 30	2,082	29.51	35.51
9999	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	438	6.21	6.18

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.6 Calculated Variables

Type: Num

Column: 1668

SAS Variable Name: _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and DRNKDY4 <= 2 or SEX = 2 and DRNKDY4 <= 1 or ALCDAY5 = 888	6,436	91.21	90.42
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1	182	2.58	3.40
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	438	6.21	6.18

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.7 Calculated Variables

Type: Num

Column: 1669

SAS Variable Name: _RFDRMN4

Prologue:

Description: Adult Men who are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888	2,256	89.35	88.36
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2	88	3.49	4.08
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	181	7.17	7.56
BLANK	Respondent is female Notes: SEX = 2	4,531		

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.8 Calculated Variables

Type: Num

Column: 1670

SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women who are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888	4,180	92.25	92.33
2	Yes Notes: SEX = 2 and _DRNKDY4 > 1	94	2.07	2.77
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	257	5.67	4.90
BLANK	Respondent is male Notes: SEX = 1	2,525		

Flu Shot Calculated Variable

Calculated Variables: 11.1 Calculated Variables

Type: Num

Column: 1671

SAS Variable Name: _FLSHOT5

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT5 = 1	1,541	63.21	63.89
2	No	699	28.67	27.48
9	Don't know/Not Sure Or Refused/Missing	198	8.12	8.64
BLANK	Age Less Than 65	4,618		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Pneumonia Vaccination Calculated Variable

Calculated Variables: 11.2 Calculated Variables

Type: Num

Column: 1672

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	1,538	63.08	62.03
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	659	27.03	27.09
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	241	9.89	10.88
BLANK	Age Less Than 65 Notes: AGE < 65	4,618		

Always or Nearly Always Wear Seat Belts

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 1673

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	6,352	90.02	88.28
2	Sometimes, Seldom, or Never Wear Seat Belt	351	4.97	6.78
9	Don't know/Not Sure Or Refused/Missing	353	5.00	4.94

Always Wear Seat Belts

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 1674

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	5,963	84.51	81.77
2	Don't Always Wear Seat Belt	740	10.49	13.29
9	Don't know/Not Sure Or Refused/Missing	353	5.00	4.94

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Women respondents aged 40+ who have had a mammogram in the past two years

Calculated Variables: 15.1 Calculated Variables

Type: Num

Column: 1675

SAS Variable Name: _RFMAM2Y

Prologue:

Description: Women respondents aged 40+ who have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 1 or 2	2,588	69.20	68.95
2	No Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	855	22.86	24.19
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	297	7.94	6.86
BLANK	Missing or Age less than 40 or Male Notes: SEX = 1 or SEX = 2 and AGE < 40 or SEX = 2 and AGE => 40 and HADMAM = missing	3,316		

Women respondents aged 50+ that have had a mammogram in the past two years

Calculated Variables: 15.2 Calculated Variables

Type: Num

Column: 1676

SAS Variable Name: _MAM502Y

Prologue:

Description: Women respondents aged 50+ who have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 1 or 2	2,209	70.10	70.83
2	No Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	673	21.36	21.68
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	269	8.54	7.48
BLANK	Missing or Age less than 50 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE => 50 and HADMAM = missing	3,905		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Women respondents aged 18+ who have had a pap test in the past three years

Calculated Variables: 15.3 Calculated Variables

Type: Num

Column: 1677

SAS Variable Name: _RFPAP32

Prologue:

Description: Women respondents aged 18+ who have had a pap test in the past three years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3	2,047	69.79	74.27
2	No Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2	572	19.50	17.56
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 7 or 9 or SEX = 2 and AGE => 18 and HADPAP2 = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	314	10.71	8.17
BLANK	Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and PREGNANT = 2 or 7 or 9 or missing or SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1	4,123		

Male respondents aged 40+ who have had a PSA test in the past 2 years

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 1678

SAS Variable Name: _RFPSA21

Prologue:

Description: Male respondents aged 40+ who have had a PSA test in the past 2 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 1 or 2	944	50.16	46.26
2	No Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 3 or 4 or 5 or SEX = 1 and AGE => 40 and PSATEST1 = 2	743	39.48	44.11
9	Don't know/Not Sure/Refused Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 7 or 9 or SEX = 1 and AGE => 40 and PSATEST1 = 7 or 9 or SEX = 1 and AGE = 7 or 9 or missing	195	10.36	9.63
BLANK	Missing or Age less than 40 or Female Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = missing or SEX = 1 and AGE => 40 and PSATEST1 = missing or SEX = 1 and AGE = < 40 or SEX = 2	5,174		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2012 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondents aged 50+ who have had a blood stool test within the past two years

Calculated Variables: 17.1 Calculated Variables

Type: Num

Column: 1679

SAS Variable Name: _RFBLDS2

Prologue:

Description: Respondents aged 50+ who have had a blood stool test within the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 1 or 2	727	15.22	13.87
2	No Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 3 or 4 or AGE => 50 and BLDSTOOL = 2	3,551	74.34	76.39
9	Don't know/Not Sure/Refused Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 7 or 9 or AGE => 50 and BLDSTOOL = 7 or 9 or AGE = 7 or 9 or missing	499	10.45	9.74
BLANK	Missing or Age less than 50 Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = missing or AGE => 50 and BLDSTOOL = missing or AGE < 50	2,279		

Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

Calculated Variables: 17.2 Calculated Variables

Type: Num

Column: 1680

SAS Variable Name: _RFSIGM2

Prologue:

Description: Respondents aged 50 or older who have had a sigmoidoscopy or colonoscopy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE => 50 and HADSIGM3 = 1	3,055	63.97	62.65
2	No Notes: AGE => 50 and HADSIGM3 = 2	1,322	27.68	29.80
9	Don't know/Not Sure/Refused Notes: AGE => 50 and HADSIGM3 = 7 or 9	399	8.35	7.55
BLANK	Missing or Age less than 50 Notes: AGE => 50 and HADSIGM3 = missing or AGE = 7 or 9 or missing or AGE < 50	2,280		

Behavioral Risk Factor Surveillance System
TENNESSEE 2012 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Ever been tested for HIV calculated variable

Calculated Variables: 18.1 Calculated Variables

Type: Num

Column: 1681

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults who have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: HIVTST6 = 1	2,061	29.25	36.01
2	No Notes: HIVTST6 = 2	4,101	58.19	52.70
9	Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9	885	12.56	11.29
BLANK	Missing or Age greater than 64 Notes: HIVTST6 = Missing	9		